WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: NEMAUA	Fraction 4 SE 4 SW4	Section Number Township No. Range Number T S S R 12 DE W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here			
		<u>Datum</u> : ₩ WGS 84, □ NAD 83, □ NAD 27	
2 WATER WELL OWNER: Andy	, EMMERT	Collection Method:	
2 WATER WELL OWNER: Andy EMMERT RR#, Street Address, Box #: 12 39 112 th Rof.		GPS unit (Make/Model: Garmin Etry)	
	ca 1KS 66538	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m,	
2 LOCATE WELL			
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL ZOO	? ft.	
SECTION BOX: Depth(s) Groun	ndwater Encountered (1)	ft. (2)ft. (3)ft.	
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr			
Pum	Pump test data: Well water wasft. after		
EST. YIELD.	EST. YIELDgpm. Well water wasft. after hours pumpinggpm		
w			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
SW SF Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
Was a chemical/bacteriological sample submitted to Department? Yes No			
S If yes, mo/day/yr sample was submitted			
Water well disinfected? Yes No			
5 TYPE OF CASING USED: Steel PVC Cother HOPE.			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter. 34 in to 200 ft Diameter in to ft Diameter in to ft			
Casing diameter in to 2.5.9 ft., Diameter in to ft., Diameter ft., Diameter in to ft. Casing height and surface 6.0 in., Weight libs./ft., Wall thickness or gauge No. 5.0 k./.			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
Steel Stainless Steel PVC Other (Specify)			
	None used (open hole)	Other (opecity)	
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS. From ft. to ft. ft. ft. ft. ft. ft.			
From			
GRAVEL PACK INTERVALS: From			
From			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other			
Grout Intervals: From			
What is the nearest source of possible con	tamination:		
· = ·	ines 🗌 Pit privy 🔲 Livestock p	ens Insecticide storage Other (specify below)	
Sewer lines Cesspool			
Watertight sewer lines Seepage			
Direction from well		from well	
FROM TO LITHOLO	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 5 Soil			
15 20 SAND/GRAVEL		1-200	
20 35 CLAY		10-2	
35 200 SHALE		1-165	
		1-1/0	
	77.77.5	1	
	210	thornal	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed. Treconstructed, or plugged			
under my jurisdiction and was completed on (mo/day/year) O. 2. 523 ond this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No This Water Well Record was completed on (mortiay/year) 4-7-20!			
under the business name of ASSOCIATED DE AND by (signature) Left Lat			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212			