	ECORD Form WWC-			ion of Water			
Original Record  1 LOCATION OF W				irces App. No.	Tarradia Namb	Well ID	
County: NEW		n NW SE4N	Section Section	ion Number	Township Number	Range Number	
2 WELL OWNER: L	ast Name: KEEHN First:	A I Aal Str				(if unknown, distance and	
Huginegg <sup>*</sup>		dire				s address, check here:	
Address: 2327	8714 KUAL	2				SIY NORTH	
City: WETM	ORE State: LS ZIP:	66550	OF	NETMOR	E		
3 LOCATE WELL	4 DEPTH OF COMPLETE		<u> </u>	5 T 414 1	39044	01911	
WITH "X" IN	Depth(s) Groundwater Encounte			5 Latitude	950 51	(decimal degrees)	
SECTION BOX:	2) ft. 3)	ft., or 4) 🗆 D	Ory Well	Datum:	WGS 84	83 NAD 27	
IN .	WELL'S STATIC WATER LEV				Latitude/Longitude:	<u> </u>	
	below land surface, measure					)	
NW NE	WWNE above land surface, measured on (mo-day-yr) Pump test data: Well water was			(Willis chables: 1 res 110)			
	E after hours pumping gpm			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
'   '		ft.	••		е маррет	•••••••••••••••••••••••••••••••••••••••	
SW SE	atter nours puniping gpin			6 Florestics			
	Estimated Yield:gpm Bore Hole Diameter:ii	. 80'				☐ Ground Level ☐ TOC GPS ☐ Topographic Map	
S 	l .						
mile  in. to ft. Uother							
1. Domestic:	5. ☐ Public Water Suppl	ly: well ID		10. 🗆 Oil Fie	eld Water Supply: lea	ase	
Household	<ol><li>Dewatering: how n</li></ol>			<ol><li>Test Hole</li></ol>	: well ID		
Lawn & Garden	7. Aquifer Recharge:				☐ Uncased ☐ G		
Livestock	8. Monitoring: well II			12. Geothermal: how many bores?			
2. ☐ Irrigation       9. Environmental Remediation: well ID.         3. ☐ Feedlot       ☐ Air Sparge       ☐ Soil Vapor Ex				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
4. Industrial		Injection					
Was a chemical/bacter	iological sample submitted to	KDHE? ☐ Yes	s 🗷 No	If yes, date sa	mple was submitted	1:	
Water well disinfected?	¥ Yes □ No						
8 TYPE OF CASING	USED: ☐ Steel → PVC ☐ Oth	her	CASIN	G JOINTS: 🛭	¶Glued ☐ Clamped	☐ Welded ☐ Threaded	
Casing diameter	in. to ft., Diamete	erin. : 12 3	to	ft., Diameter	r in. to	<b>♥</b> ′0 <sup>·· ft.</sup>	
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface Weight 12.3 lbs/ft. Wall thickness or gauge No. 2.29							
L TYPE OF SCREEN OR	PERFORATION MATERIAL	<i>:</i>	105./10.	wan mickies	s of gauge No	.e	
TYPE OF SCREEN OF	PERFORATION MATERIAL hless Steel ☐ Fiberglass	.: <b>⊠</b> PVC	100.71.				
TYPE OF SCREEN OF  ☐ Steel ☐ Stain ☐ Brass ☐ Galv	R PERFORATION MATERIAL hless Steel  ☐ Fiberglass ranized Steel  ☐ Concrete tile	<i>J</i> :		Other (			
TYPE OF SCREEN OF  ☐ Steel ☐ Stain ☐ Brass ☐ Galv SCREEN OR PERFOR	R PERFORATION MATERIAL nless Steel	.: ☑ PVC ☐ None used	l (open hole)	Other (	Specify)		
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot	R PERFORATION MATERIAL hless Steel	DE PVC  □ None used  Apped □ Torch  December 1 Saw C	I (open hole)	☐ Other (	Specify) Other (Specify)		
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot	R PERFORATION MATERIAL hless Steel	DE PVC  □ None used  Apped □ Torch  December 1 Saw C	I (open hole)	☐ Other (	Specify) Other (Specify)		
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI	R PERFORATION MATERIAL nless Steel	DE PVC  □ None used  apped □ Torch  ped ☑ Saw Complet to the complet of the complete of the c	l (open hole)  Cut	Other ( illed Holes  one (Open Hole) ft. to	Specify)  Other (Specify)  ft., From	ft. to ft.	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG	PERFORATION MATERIAL hless Steel	PVC None used  apped Torch pped Saw C  ft. to Bo	I (open hole)  Cut	Other ( illed Holes  one (Open Hole) ft. to her	Other (Specify)  ft., From  ft., From	ft. to ft. ft. ft.	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From	PERFORATION MATERIAL nless Steel	PVC None used  apped Torch pped Saw C  ft. to Bo	I (open hole)  Cut	Other ( illed Holes  one (Open Hole) ft. to her	Other (Specify)  ft., From  ft., From	ft. to ft. ft. ft.	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible	PERFORATION MATERIAL nless Steel	PVC None used  apped Torch pped Saw C ft. to Bento grout Bento m ft. to	Cut Dr. Cut No ft., From ft., From onite Ot	Other ( illed Holes  one (Open Hole) one, ft. to  ft. to  her  of the From  of the first of the	Other (Specify)  ft., From  ft., From  ft. from	ft. to ft. ft. to ft. ft. to ft.	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch  Pit Privy  Pit Privy	Cut Dr. Cut No ft., From onite Ot	Other (  illed Holes  one (Open Hole) one, ft. to  one, ft. ft.  one, ft.  o	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft.	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line	PERFORATION MATERIAL nless Steel	PVC None used  apped Torch pped Saw C ft. to Bento grout Bento m ft. to	Cut Dr. Cut No ft., From onite Ot to	Other ( illed Holes  one (Open Hole) one, ft. to  ft. to  her  of the From  of the first of the	Specify)  Other (Specify)  ft., From  ft., From  ft. to  ☐ Insectic	fl. to ft.  fl. to ft.  fl. to ft.  fl. to ft.  ide Storage  ned Water Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify)	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch Oped Saw Co ft. to Bento m ft. to ft. to Pit Privy Sewage Lagoo	I (open hole)  Cut	Other (  illed Holes  one (Open Hole) ft. to her ivestock Pens fuel Storage fertilizer Storage	Specify)  Other (Specify)  ft., From  ft., From  ft. to  ☐ Insectic  ☐ Abando  ☐ Oil Wel	fl. to ft.  fl. to ft.  fl. to ft.  fl. to ft.  ide Storage  ned Water Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch Oped Saw C  ft. to So  grout Bento m ft. to  Pit Privy Sewage Lagoo Feedyard	Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ide Storage ned Water Well l/Gas Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify)	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch Oped Saw C  ft. to So  grout Bento m ft. to  Pit Privy Sewage Lagoo Feedyard	I (open hole)  Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	fl. to ft.  fl. to ft.  fl. to ft.  fl. to ft.  ide Storage  ned Water Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch pped Saw C  Inft. to So  grout Bento m ft. to Pit Privy Sewage Lagoo Feedyard  istance from well?  G	Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ide Storage ned Water Well l/Gas Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch Sped Saw C  Infl. to SO  Infl.	Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ide Storage ned Water Well l/Gas Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch Sped Saw C  Infl. to SO  Infl.	Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ide Storage ned Water Well l/Gas Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  38  38  40  47  47  59	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch Sped Saw C  Infl. to SO  Infl.	Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ide Storage ned Water Well l/Gas Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  38  38  40  47  47  59  63	PERFORATION MATERIAL nless Steel   Fiberglass ranized Steel   Concrete tile ATION OPENINGS ARE:   Gauze Wra   GRAY CLAY   GRAY CLAY   GRAY   CLAY   GRAY   CLAY   GRAY   CLAY   GRAY   CLAY   C	PVC None used  Apped Torch Oped Saw Co ft. to So Figrout Bento m Pit Privy Sewage Lagoo Feedyard  Stance from well? G	I (open hole)  Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ide Storage ned Water Well l/Gas Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  38  38  40  47  47  59	PERFORATION MATERIAL nless Steel	PVC None used  Apped Torch Oped Saw Co ft. to So Figrout Bento m Pit Privy Sewage Lagoo Feedyard  Stance from well? G	Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ide Storage ned Water Well l/Gas Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  38  38  40  47  47  59  63	PERFORATION MATERIAL nless Steel   Fiberglass ranized Steel   Concrete tile ATION OPENINGS ARE:   Gauze Wra   GRAY CLAY   GRAY CLAY   GRAY   CLAY   GRAY   CLAY   GRAY   CLAY   GRAY   CLAY   C	PVC None used  Apped Torch Oped Saw Co ft. to So Figrout Bento m Pit Privy Sewage Lagoo Feedyard  Stance from well? G	I (open hole)  Cut	Other (  illed Holes  one (Open Hole) ft. to her ft., From ivestock Pens fuel Storage Pertilizer Storage	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ide Storage ned Water Well l/Gas Well	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? Direction from well?  10 FROM TO  38  38  40  47  47  59  59  63  720	PERFORATION MATERIAL cless Steel   Fiberglass ranized Steel   Concrete tile ATION OPENINGS ARE:   Gauze Wrape   Ga	PVC None used  Apped Torch Oped Saw Co ft. to So Figure Privy Sewage Lagoo Feedyard  Search Freedyard  Sewage Lagoo Feedyard	Cut Dricut No ft., From on to I From From From From From From From I	Other (  illed Holes  one (Open Hole) ft. to her ft., Fromivestock Pens Tuel Storage Pertilizer Storage  TO LIT	Other (Specify)  ft., From  ft. to  Insectic  Abando  of Oil Wel  ft.  THO. LOG (cont.) or	ft. toft	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO  38  38  40  47  47  59  63  20  11 CONTRACTOR'S	PERFORATION MATERIAL nless Steel   Fiberglass ranized Steel   Concrete tile ATION OPENINGS ARE:   Gauze Wra   GRAY CLAY   GRAY	PVC None used  Apped Torch Oped Saw Co ft. to SO ft. to So grout Bento m ft. to Sewage Lagoo Feedyard istance from well? G	Cut Dricut Noft., From  on to I Cut Provide Noft., From  on I I Cut Noft., From  on I I From I	Other (  illed Holes  one (Open Hole)	Other (Specify)  ft., From  ft., From  ft. to  Insectic  Abando  Oil Wel  THO. LOG (cont.) or	ft. to	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO  38  38  40  47  47  59  63  20  11 CONTRACTOR'S	PERFORATION MATERIAL nless Steel   Fiberglass ranized Steel   Concrete tile ATION OPENINGS ARE:   Gauze Wra   GRAY CLAY   GRAY	PVC None used  Apped Torch Oped Saw Co ft. to SO ft. to So grout Bento m ft. to Sewage Lagoo Feedyard istance from well? G	Cut Dricut Noft., From  on to I Cut Provide Noft., From  on I I Cut Noft., From  on I I From I	Other (  illed Holes  one (Open Hole)	Other (Specify)  ft., From  ft., From  ft. to  Insectic  Abando  Oil Wel  THO. LOG (cont.) or	ft. to	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  10 FROM TO  11 CONTRACTOR'S under my jurisdiction at Kansas Water Well Cor under the business name	PERFORATION MATERIAL cless Steel   Fiberglass ranized Steel   Concrete tile ATION OPENINGS ARE:   Gauze Wrape   Ga	PVC None used  Apped Torch Sped Saw C  If to SO  If to S	Cut	one (Open Hole) one (Open Hole) one (Open Hole) one (T. to one ft. to one ft. to one ft. From civestock Pens one Storage one of the first of the first one of th	Other (Specify)  ft., From  ft., From  ft. to  Insectic  Abando  Oil Wel  ft.  THO. LOG (cont.) or  onstructed,  reco ue to the best of my eted on (mo-day-ye	nstructed, or plugged knowledge and belief.	

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html