WATER RR#, St. A	ION OF WAT Brown and direction	TED WELL.		ATER WELL RECORD	Form WWC-5		<del>, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>		
WATER RR#, St. /			Fraction		Sec	ction Number	Township Number	_	ge Number
WATER	ana airection		<u>  5W</u>	14 SE 14 SU	1/4		<u> </u>	D   R	17 E
R#, St. / City, State		from nearest to	wn or city stree	et address of well if locate	-	***			
R#, St. / City, State	D WELL OW	NER: Ken I	Pogg	139 0	u of	Willis	<u> </u>		<del></del>
ity, State		T					D	Distatas at 1	Man D
	•		atha, KS	66434			Board of Agricult	•	Water Heso
LOCATI					140		Application Numb		
AN "X"	IN SECTION	JUATION WITH	4 DEPTH OF	F COMPLETED WELL	! <del>4.</del>	ft. ELEVAT	Г <b>ІОN</b> :		
			Depth(s) Grou	undwater Encountered 1	44 F <b>i</b>	ft. 2		ft. 3	≓ . άξ · · · ·
- 1		. ! ! !		TIC WATER LEVEL3!					
-	NW	NE		ump test data: Well wate					
- 1	!		Est. Yield	gpm: Well wate	r was	ft. af	ter hour	s pumping	
	<del></del>	E		ameter12in. to					
		. !	1		5 Public water		8 Air conditioning	11 Injection we	
-	sw	SE	1 Domes				_	12 Other (Spec	-
- 1	1		2 Irrigatio						
L	<u></u>			cal/bacteriological sample s	submitted to De	•	·	37	sample was
			mitted				er Well Disinfected? Ye	77	
		CASING USED:		<del>-</del>			CASING JOINTS:	Glued <sup>X</sup> C	lamped
1 Ste		3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify below	)	Welded	
2 PV		4 ABS		7 Fiberglass		70 400		Threaded	
lank casi	ng diameter	5	.in. to 9.	-30ft., Dia	in. to	(0-135	ft., Dia	in. to	
				in., weight2.	82	lbs./f	t. Wall thickness or gau-	ge No • <del></del>	58
YPE OF	SCREEN OF	R PERFORATIO	N MATERIAL:			<u>C</u>	10 Asbestos-		
1 Ste	<del>sel</del>	3 Stainles:	s steel	5 Fiberglass	8 RMP (SR) 11 Ot			ecify)	
2 Bra		4 Galvaniz		6 Concrete tile	9 AB	S	12 None used	d (open hole)	
CREEN (	OR PERFOR	RATION OPENIN	IGS ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None	(open hole)
1 Co	ontinuous slot	t 3 N	fill slot	6 Wire	wrapped	,	9 Drilled holes		
2 Lo	uvered shutte	er 4 K	(ey punched	7 Torch			10 Other (specify)		
CREEN-F	PERFORATE	ED INTERVALS:		30 ft. to	70	ft., From	n	ft. to	
			From 1.			ft., From	n	ft. to	
G	3RAVEL PAC	CK INTERVALS:	From	10 ft. to	140	ft., From	n	ft. to	
			From	ft. to		ft., From		ft. to	
GROUT	T MATERIAL:						Other		
irout Inter				Q ft., From	ft.	to	ft., From	ft. to	
/hat is the	e nearest so	eurce of possible	contamination:	:		10 Livesto	•	14 Abandoned v	
-	ptic tank	4 Later	ral lines	7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
	ewer lines	5 Cess	•	8 Sewage lagoon		12 Fertilizer storage		16 Other (specif	y below)
3 Watertight sewer lines 6 Seepage			page pit	9 Feedyard			icide storage		
	rom well?	5w			•		y feet? 140		
FROM	то		LITHOLOG	IC LOG	FROM	то	LITHO	LOGIC LOG	
ــــــــ	4 1	Top Soil							
4	39	Clay-Brow				<u> </u>			
39	46	Silty Cla							
46 <del>-</del> 64	<del>1                                    </del>	Clay-Bro				<u> </u>			
64	72	Sandstone							
72	111	Shale -Gre							
111	115	Limeston	e-Grey						
113-	140	Shale-Gre	еу						
113-									
15-									
113-									
113=	<u> </u>								
113=									
					1	t			
	ACTOR'S C		DIS CERTIFICA	ATION. This water wall w	/4\ constru	-11-d (0) recor	· · · · · · · · · · · · · · · · · · ·	1	M-Atan and
CONTR	ACTOR'S C	)R LANDOWNEI	R'S CERTIFICA	ATION: This water well wa	as (1) constru	cted, (2) recor	nstructed, or (3) plugged	d under my juris	diction and
CONTF	on (mo/day/y	year) 5	5158	. 6		and this recor	d is true to the best of m	ny knowledge an	d belief. Ka
CONTF ompleted /ater Well	on (mo/day/s	year) 5 s License No	7 <i>158</i> 182.	ATION: This water well water well water wa		and this recor	d is true to the best of mon (mo/day/yr) 5	ny knowledge an	d belief. Ka

Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.