WATER WELL R	ECOKD FO	orm WWC-5	Div	vision of Water		!		
Original Record		Change in Well Use		ources App. No.		Well ID		
1 LOCATION OF W		Fraction	Se	ction Number	Township Number	Range Number		
County: WASA		145W45W	4 N N/4	4	T 3 S	RZ ■E□W		
2 WELL OWNER: L	ast Name: DURS	ST First: LARRY	Street or Ru	ral Address wh	ere well is located (if	unknown distance and		
Business: 1757			direction from	nearest town or into	ersection): If at owner's a	address, check here:		
Address:								
City: MORROW	VILLE State	K5 ZIP:66958	RD. F	RUM W	ASHING TON.	HWY36 RWWYIS		
3 LOCATE WELL	į.	COMPLETED WELL:						
WITH "X" IN		water Encountered: 1)		5 Latitude	57 41,21	80(decimal degrees)		
SECTION BOX:				(decimal degrees)				
N	N 2) ft. 3) ft., or 4) \(\subseteq \text{WELL'S STATIC WATER LEVEL: } \)				1 Datami L WGS 04 L MAD 27			
	below land surface, measured on (mo-day-yi				Source for Latitude/Longitude: GPS (unit make/model:)			
NW NE	NW NE Dabove land surface, measured on (mo-day-yi			(WAAS enabled? \(\subseteq \text{Yes} \(\subseteq \text{No} \)				
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
W				m Online Mapper:				
Well water was ft.								
Fstimated Vield: Gram			. gpm	6 Elevation:ft. Ground Level TOC				
Bore Hole Diameter:			ft and	nd Source: Land Survey GPS Topographic Map				
1 mile		in. to			Other	·····		
7 WELL WATER TO	BE USED AS:							
1. Domestic:	5. 🔲 Publ	lic Water Supply: well ID	•••••	10. ☐ Oil Fi	eld Water Supply: lease			
☐ Household	6. 🔲 Dew	vatering: how many wells?		 Test Hole 	e: well ID			
· —.	☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock	8. ☐ Mor	nitoring: well ID		12. Geothermal: how many bores?				
2. ☐ Irrigation 9. Environmental Remediation: well ID 3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor E					Loop Horizontal			
4. Industrial	Reco		Extraction	b) Upen	Loop Surface Discha (specify):	arge ∐ Inj. of Water		
			37 F20 37					
Water well disinfected?	Ves I No	submitted to KDHE?	Yes MINO	If yes, date sai	mple was submitted:	• • • • • • • • • • • • • • • • • • • •		
		PVC Other	CASD	IC IONITC.		1 W 11 1 🗖 🚾		
Casing diameter 5	in to 188	ft Diameter	in to	nd JOINTS: 💆 ft Diameter	in to	J Welded ∐ Threaded		
Casing diameter								
Casing height above land s	urface	in. Weight 2.7.8 .	lbs./ft.	Wall thickness	s or gauge No 26	5-		
Casing height above fand s	uriace	in. weight 2. 2. 2.	lbs./ft.	Wall thickness	s or gauge No	5		
TYPE OF SCREEN OR	PERFORATION	in. weight 2. 2. 2.	lbs./ft.	Wall thickness	s or gauge No			
TYPE OF SCREEN OR Steel Stain Brass Galv.	PERFORATION less Steel	MATERIAL: Fiberglass Concrete tile PVC None	lbs./ft. used (open hole	Other (s or gauge NoSpecify)			
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR	PERFORATION less Steel anized Steel ATION OPENING	MATERIAL: Fiberglass	lbs./π. used (open hole	Other (Specify)	······································		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR.	PERFORATION less Steel anized Steel ATION OPENING Mill Slot	MATERIAL: Fiberglass PVC Concrete tile None GS ARE:	used (open hole	Wall thickness Other (Specify) Other (Specify)	······································		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR Continuous Slot Louvered Shutter	PERFORATION less Steel anized Steel ATION OPENING Mill Slot Key Punched	MATERIAL: Fiberglass	used (open hole orch Cut	Wall thickness Other (orilled Holes Jone (Open Hole)	Specify) Other (Specify)			
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE	PERFORATION less Steel anized Steel ATION OPENING Mill Slot Key Punched D INTERVALS:	MATERIAL: Fiberglass	used (open hole orch Cut	Other (c) Trilled Holes Tone (Open Hole)	Specify) Other (Specify)			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFORA Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC	PERFORATION less Steel	MATERIAL: Fiberglass	used (open hole orch Cut	Other (c) Orilled Holes Ione (Open Hole) The first to	Other (Specify)			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC	PERFORATION less Steel anized Steel ATION OPENING Mill Slot Key Punched D INTERVALS: K INTERVALS: L: Neat cemen	I MATERIAL: Fiberglass	used (open hole orch Cut	Other (c) Orilled Holes One (Open Hole) ft. to Other	Other (Specify)			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From	PERFORATION less Steel	MATERIAL: Fiberglass	used (open hole orch Cut	Other (c) Orilled Holes One (Open Hole) ft. to Other	Other (Specify)			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC	PERFORATION less Steel	MATERIAL: Fiberglass PVC PVC Concrete tile None GS ARE: Gauze Wrapped T Wire Wrapped S From S ft. to S T Cement grout B S ft., From T	used (open hole orch Cut	Other (c) Orilled Holes One (Open Hole) ft. to Other	Other (Specify)	ft. to ft ft. to ft ft.		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines	PERFORATION less Steel	MATERIAL: Fiberglass PVC PVC Concrete tile None GS ARE: Gauze Wrapped T Wire Wrapped S From S ft. to S From T Cement grout B Cement grout T Cement grout B Cement grout T Ce	used (open hole orch Cut D ow Cut N ft., From entonite C ft. to	orilled Holes Inches (Open Hole)	Other (Specify)			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line	PERFORATION less Steel	MATERIAL: Fiberglass PVC PVC Concrete tile None GS ARE: Gauze Wrapped T Wire Wrapped S From S ft. to T Cement grout B Cement grout B Cement grout B Cement grout Cement gro	used (open hole orch Cut	orilled Holes Inches (Open Hole)	Other (Specify)	ft. to ft ft. to ft ft. Storage I Water Well		
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lin	PERFORATION less Steel	MATERIAL: Fiberglass PVC	used (open hole orch Cut	orilled Holes Inches (Open Hole)	Specify)	ft. to ft ft. to ft ft. Storage I Water Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?	PERFORATION less Steel	MATERIAL: Fiberglass	used (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well as Well		
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lin	PERFORATION less Steel	MATERIAL: Fiberglass	used (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?	PERFORATION less Steel	MATERIAL: Fiberglass PVC Concrete tile None GS ARE: Gauze Wrapped T Wire Wrapped S From S ft. to S ft. to S t. to S	used (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well as Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFORATE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?	PERFORATION less Steel	MATERIAL: Fiberglass PVC Concrete tile None GS ARE: Gauze Wrapped T Wire Wrapped S From S ft. to S ft. to S t. to S	used (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well as Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFORATE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?	PERFORATION less Steel	MATERIAL: Fiberglass PVC Concrete tile None GS ARE: Gauze Wrapped T Wire Wrapped S From S ft. to S From From T Cement grout B S From Sewage Lage Ge Feedyard Distance from woologic Log	used (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well as Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFORATE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?	PERFORATION less Steel	MATERIAL: Fiberglass PVC PVC Concrete tile None GS ARE: Gauze Wrapped T Wire Wrapped S From S ft. to S From From T Cement grout B S Pit Privy Pool Sewage Lage Pit Feedyard Distance from woologic Log	ised (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well as Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFORATE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 11 FROM TO 12 FROM TO 13 O TEST	PERFORATION less Steel	MATERIAL: Fiberglass PVC PVC Concrete tile None GS ARE: Gauze Wrapped T Wire Wrapped S From S ft. to S From S ft. to S T Cement grout B S Ft. From Pit Privy Pool Sewage Lage Pit Feedyard Distance from woologic Log	ised (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well as Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFORATE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PACE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 11 FROM TO 12 FROM TO 13 O TS 14 TS 15 O TS 16 TS 17 TS 17 TS 18 O TS 18 O TS 18 O TS 19 O TS 10 TS 10 TS 11 TS 12 O TS 13 O TS 14 TS 15 O TS 16 TS 17 TS 17 TS 18 O TS	PERFORATION less Steel	MATERIAL: Fiberglass PVC	ised (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well as Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFORATE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 15 29 29 29 30 73 75 20 20 20 20 20 20 20 20 20 2	PERFORATION less Steel	MATERIAL: Fiberglass PVC	ised (open hole orch Cut	orilled Holes Inches In	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G	ft. to ft ft. to ft ft. Storage I Water Well as Well		
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 11 FROM TO 12 9 29 29 29 20 20 20 20 20 20 2	PERFORATION less Steel	MATERIAL: Fiberglass PVC	ised (open hole orch Cut	Wall thickness Other (e) Prilled Holes Indian (Open Hole) Indian (Open Hole) Indian ft. to Other Other It is one (Open Hole) It is one (Open	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G THO. LOG (cont.) or PL			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 11 FROM TO 12 9 29 29 29 20 20 20 20 20 20 2	PERFORATION less Steel	MATERIAL: Fiberglass PVC	ised (open hole orch Cut	Wall thickness Other (e) Prilled Holes Indian (Open Hole) Indian (Open Hole) Indian ft. to Other Other It is one (Open Hole) It is one (Open	Specify) Other (Specify) ft., From ft., From Insecticide Abandoned Oil Well/G THO. LOG (cont.) or PL			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 10 FROM TO 11 CONTRACTOR'S under my jurisdiction an	PERFORATION less Steel	MATERIAL: Fiberglass PVC PVC Concrete tile None SARE: Gauze Wrapped T Wire Wrapped T S. ft. to S. ft. to S. ft. to S. ft. to S. ft. ft. The many of the first of the firs	sed (open hole orch Cut	orilled Holes Other (c)	Other (Specify)			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 29 94 11 CONTRACTOR'S under my jurisdiction an Kansas Water Well Contents	PERFORATION less Steel	MATERIAL: Fiberglass	ised (open hole orch Cut	orilled Holes or	Other (Specify)			
TYPE OF SCREEN OR Steel Stain Brass Galv. SCREEN OR PERFOR. Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 10 FROM TO 11 CONTRACTOR'S under my jurisdiction an Kansas Water Well Contunder the business name	PERFORATION less Steel	MATERIAL: Fiberglass	sed (open hole orch Cut	orilled Holes one (Open Hole) one (Open Hole) one ft. to one ft., From other Storage or TO LITE ord was completed.	Other (Specify)			

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html