

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Doniphan	SE ¼ SW ¼ SW ¼	28	T 3 S	R 20E E/W

Distance and direction from nearest town or city street address of well if located within city?
3/4 mile north and 1/4 mile west of Bendena

2 WATER WELL OWNER: **David Johnson**
 RR#, St. Address, Box # : **435 150th Rd**
 City, State, ZIP Code : **Denton, Ks. 66008**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 90 ft. ELEVATION:	
	Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 33 ft. below land surface measured on mo/day/yr 1-28-05 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 1.5 gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well	Was a chemical/bacteriological sample submitted to Department? Yes No x ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes x No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued x Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC 4 ABS	7 Fiberglass		Threaded
Blank casing diameter 5 in. to ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface 24 in., weight 2.82 lbs./ft. Wall thickness or gauge No. 258			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-Cement	WROUN
1 Steel 3 Stainless Steel 5 Fiberglass	8 RMP (SR)	11 Other (Specify)	
2 Brass 4 Galvanized Steel 6 Concrete tile	9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	5 Guazed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter 4 Key punched	7 Torch cut	10 Other (specify)	ft.
SCREEN-PERFORATED INTERVALS: From 60 ft. to 90 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 27 ft. to 90 ft., From ft. to ft.			

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From **2** ft. to **27** ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)

Direction from well? **open field** How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	top soil	72	74	fine sand grey
2	17	clay brown / silty	74	76	claygrey
17	27	clay brown	76	78	fine/course sand grey
27	30	fine sand brown	78	79	boulders red
30 30	47	clay brown sandy	79	80	fine/course sand grey
47	48	boulders red	80	84	fine sand grey
48	50	clay brown sandy	84	86	fine/course sand grey
50	56	clay grey	86	87	boulders red
56	59	fine sand brown	87	88	limestone grey
59	63	clay grey	88	90	shale grey
63	67	W fine sand grey	90		limestone grey
67	68	clay grey			
68	70	fine/course sand grey			
70	72	clay grey			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **10-28-05** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **182** This Water Well Record was completed on (mo/day/yr) **12-29-05** under the business name of **Strader Drilling Co., Inc.** by (signature) *Jim Strader*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.