WATER WELL RECORD	Forn	a WWC-	5 I				rces; App.		
1 LOCATION OF WATER WELI County: Doniphan Distance and direction from nearest to	Ten 7			Sect	ion Nun 33	nber	Townshi T	p Number 3 S	Range Number
located within city? SW corner of Rail Bendena KS 2 WATER WELL OWNER: Con	road and Com	mercial St	f well if	Lau Lon Ele	itude: igitude: vation:	W 95. RIM:	17864° 1115.23;	TOC: 1114	4.78
RR#, St. Address, Box # : PO : City, State, ZIP Code : Ben	dena KS 66008	3		Dat Dat	um: <u>a Collec</u>	tion M	ethod: le	gal survey	
3 LOCATE WELL'S 4 DEPTH	OF COMPLE	ETED WEI	LL <u>17.6</u> :	1./1	W8				
WITH AN "X" IN Depth(s) Gr SECTION BOX: N Pu Est Yield	imp test data:	Well water	r was r was	ft. be	low land ft. a ft. a	itter ifter	h	ours pump	f lay/yr 8/28/13 ing gpi
Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X									
5 TYPE OF CASING USED:	5 Wrought I	ron	8 Con	crete ti	ile cify belo	· CASI	NG JOIN	ITS: Glued Welde	Clampeded
PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 4.65 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.45 ft., Weight lbs./ft. Wall thickness or gauge No.									
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 4.65 ft. to 17.65 ft. From ft. to ft.									
SCREEN-PERFORATED INTERVA	LS: From	4.65	ft. to	15	7.65	ft. Fro	om om	ft.	to
GRAVEL PACK INTERVAL	S: From	3	ft. to	18	8.12	ft. Fro	om	ft.	to to
	From		ft. to			ft. Fro	Conorot	it.	to
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1ft Grout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination: 1 Septic tank 2 Lateral lines 7 Pit privy 2 Sewer lines 3 Watertight sewer lines 6 Seepage pit 4 Lateral lines 7 Pit privy 10 Livestock pens 11 Insecticide Storage 14 Abandoned water well 15 Oil well/ gas well 16 Other (specify below) 16 Privation from well? 18 Privation from well? 19 Feedyard 10 Livestock pens 12 Fortilizer storage 13 Insecticide Storage 14 Abandoned water well 16 Other (specify below) 17 Full storage 18 Oil well/ gas well 19 Feedyard 10 Livestock pens 10 Livestock pens 11 Insecticide Storage 12 Fortilizer storage 13 Insecticide Storage 14 Abandoned water well 16 Other (specify below) 17 Full storage 18 Oil well/ gas well 19 Feedyard 10 Livestock pens 19 Full storage 10 Other (specify below)									
	HOLOGIC LC		FRO	DM	ТО		PLUC	GING INT	ERVALS
0 10 Gravel on top, 10 18.12 Brown silty cla	Brown suty c ny w/ gray mo	ttling							
								aiver from	
7 CONTRACTOR'S OR LANDO under my jurisdiction and was completed Kansas Water Well Contractor's License under the business name of Larsen &	No. 757 Associates, In	r) 8 . This V	/13/13 Water We by (si	ll Reco	and this in the rd was co	record is omplete	d on (mo	day/year)	9/18/13
INSTRUCTIONS: Please fill in blanks or cit Geology Section, 1000 SW Jackson St., Suite your records. Fee of \$5.00 for each constructe	rcle the correct ans	swers. Send to	7. 1 elebric)ne /63/	-270-3322	partment 2. Send o	of Heath ne to WAT	and Environm ER WELL O	ent, Bureau of Water, WNER and retain one