							·	
WATE	R WE	LL RECORD	Form W	/WC-5		r Resources App. N	ło. L	
		OF WATER WELL:	Fraction		Section Number		Range Number	
Cou	nty: D	Address of Well Location;	1/4 NE 1/4 50	WASE A	<i>3</i> 3	T 3 S	R 20 DE W	
from	Dogrost	town or intersection: If at o	I unknown, distance	Global Positioning System (GPS) information: Latitude. 39.7427/46 (in decimal degrees)				
230	Nor	th of Railioud 5	tiand 15'	East of	Longitude:	.1782321	(in decimal degrees)	
Commercial St. Bendena, KS. 66008					Elevation:	Elevation: 1169.892		
2 WATER WELL OWNER: DEDA Ahas: Shee Gilmore					Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 540 p 0513 Room 4714-5					GPS unit (Make/Model:)			
City, State, ZIP Code : 1400 Independence Ave. SW					Digital Map/Ph	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL &								
	CTION BOX: Depth(s) Groundwater Encountered (1)							
	Ŋ	WEED B STATIC WATER ELEVEL						
	Pump test data: Well water wasft after							
	W EST. YIELD							
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	☐ Itrigation ☐ Industrial ☐ Domestic-lawn & garden 🗷 Monitoring well							
- I	Was a chemical/bacteriological sample submitted to Department? Yes No							
	S If yes, mo/day/yr sample was submitted							
Water wen distincted: 1 165 M 140								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter ft, Diameter in to ft.								
Casing height above land surface. ————————————————————————————————————								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw out Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From ft. to ft. From ft.								
	GRAV	EL PACK INTERVALS:	From 88	ft to	ft From	ft	to ft	
			From	ft. to	ft., From	ft.	to ft.	
6 GROUT MATERIAL: Neat cement Cement grout M Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Liveslock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
	Waterlig	ht sewer lines 🔲 Seepage pi			orage 🔲 Oil well/ga	s well		
	,	n well			from well			
FROM O'	TO 5'	LITHOLOGI	CLUG	FROM	TO LITHO. LO	or (cont.) or PLL	IGGING INTERVALS	
<u> </u>	20.5	Top Soil Silt		 				
10,5	14.5	1:11	~	 -				
74.5	86.3	Soud with some	Gravel					
86.3	90	Black Till						
				ļ				
			· · · · · · · · · · · · · · · · · · ·	 				
	<u> </u>			 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) ! O ! B ! and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No5.7 This Water Well Record was completed on (mo/day/year)								
under th	e busines	s name of	ps Drilling		. by (signature) . 🛼			
		Use typewriter or ball point pen, Kansas Department of Health a						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdbeks.gov/watcrwell/index.html.								