WATER WELL RECORD	Form WWC-5	Division of Water I	Resources App. N	₹o. L
1 LOCATION OF WATER WELL:	Fraction		Township No.	Range Number
County: Doniphan	4NE 45E 45W 4		T 3 S	R 20 DE UW
Street/Rural Address of Well Location	n; if unknown, distance & direction	Global Positioning	System (GPS) i	nformation:
from nearest town or intersection. If	at owner's address, check here .	Latitude:	15419	(in decimal degrees) (in decimal degrees)
		Longitude:	12350 0.834	(in decimal degrees)
Roiltoud St. Bendena	KS. LLOO &	Datum: WGS 84,	IZ NAD 83 F	7 NAD 27
2 WATER WELL OWNER: US DA	Apen: Steve Gilmore	Collection Method:	M IAAD 65, L	
RR#, Street Address, Box #: 5400	0513 Room 4714 -5	GPS unit (Make	/Model:	)
City, State, ZIP Code : 1400	Independence Are 5W	Digital Map/Phot	to, Topograph	ic Map, Land Survey
WA CONTENTED	shington D.C 20250-0513	Est. Accuracy: [] <3	m, [ 3-5 m, [	<u>]5-15 m, [_]&gt;15 m</u>
3 LOCATE WELL WITH AN "X" IN 4 DEPTH C	F COMPLETED WELL	ft.		
	undwater Encountered (1)		ft.	(3) ft.
N WELL'S ST.	ATIC WATER LEVELft.	below land surface me	easured on mo/	day/ут
Pu	mp test data: Well water was	ft. after	hours pun	nping gpm
EST. YIELD	gpm. Well water was	ft. after	hours pur	npinggpm
W E Bore Hole D	ameter 6 in to 135 in ER TO BE USED AS:   Public wat	L, andin. to	thermal [7]	.II. Injection well
		r supply Dew	vatering []	Other (Specify below)
SW SE Domestic				
	cal/bacteriological sample submitted to	Department?  Y	es 🖪 No	
S If yes, r	no/day/yr sample was submitted		•	
Water well d	sinfected? Yes No			
5 TYPE OF CASING USED: S	eel 🗷 PVC 🗌 Other			
CASING JOINTS: Glued C	lamped 🔲 Welded 😿 Threaded			
Casing diameter? in. to	ft., Diameter in.	toft., Dia	meter	in to
Casing height above land surface	in., Weight70	lbs./ft., Wall thick	ness or gauge N	To
TYPE OF SCREEN OR PERFORATION		Other (Specify)		
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Steel	➤ PVC  None used (open hole)	Omer (Specify)		
SCREEN OR PERFORATION OPENI	NGS ARE:			
Continuous slot. Mill slot	Gauze wrapped Torch cut	Drilled holes	] None (open ho	le)
SCREEN-PERFORATED INTERVAL	d Wire wrapped Saw cut	Other (specify)		to #
SCREEN-PERFORATED INTERVAL	From ft. to	ft From		to ft
GRAVEL PACK INTERVAL	From 129 ft. to	Q.O ft From	ft.	to ft:
	From ft. to	ft., From	ft.	to ft.
6 GROUT MATERIAL: Neat co	ment 🗌 Cement grout 🔀 Bentor	ite 🗌 Other		**********
	to ft., From	î. to ./. <b>k.Q</b> ft., F	rom	ft. toft.
What is the nearest source of possible co		The state of		
Septic tank Lateral Sewer lines Cesspo	lines Pit privy Livestock p	ens Insecticide st	torage [] Ot	her (specify below)
☐ Watertight sower lines ☐ Seepag	e pit Feedvard Fertilizer st	Abandoned working Oil well/gas	well	***********
Direction from well		from well		
FROM TO LITHOLO	OGIC LOG FROM	TO LITHO. LOC	G (cont.) <u>or</u> PLU	JGGING INTERVALS
	Isilt		-	
4' 20' S. It - Clay				
20' 78,5 7,7/				
78.5 87 Sond				
87 135 Black Till with	a few this Sond/Gravel			· · · · · · · · · · · · · · · · · · ·
		<del></del>		
		<del></del>		
			<del>-,</del>	
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATION: This water	r well was 🗷 construc	ted, 🗌 reconsti	ructed, or 🗌 plugged
under my jurisdiction and was completed on (mo/day/year)				
Kansas Water Well Contractor's License	No597 This Water Well Re	cord was completed o	n (mo/day/year	101111111
under the business name of	DIFACE DECC CIDIATY - A PROPERTY	by (signature)	nd chack the	of miguers Cand there are in
INSTRUCTIONS: Use typewriter or ball point j (white, blue, pink) to Kansas Department of Hea				
Telephone 785-296-5524. Send one copy to W				
ottp://www.kdheks.gov/waterwell/index.html.				
SA 82a-1212				