WATER WELL RECORD	Form WWC-5	Division of War	ter Resources; App. No.		
- I		Castion Mi	Township Number Range Number T 3 S R 21 E  Record R 21 S R 39 78931°		
Distance and direction from nearest town or	city street address of well	if Global Posi	itioning System (decimal degrees, min. of 4 digits		
located within city? 333 N Main St., Troy K	.S	Lautado.	1 ( 3 ) . ( 6 ) 5 2		
		Longitude	: W 95.08967° RIM: 1041.40; TOC: 1041.19		
2 WATER WELL OWNER: KDHE	Ŧ 1	Datum:	NAVD88		
RR#, St. Address, Box # : 1000 SW	Jackson	Datum.	ection Method: legal survey		
3 LOCATE WELL'S 4 DEPTH OF CONFIDENCE WELL'S					
LOCATON		141 44 2	ft. 2 ft. 3 ft		
WITH AN "X" IN Depth(s) Grounds	Water Encountered:	4 ft below la	nd surface measured on mo/day/yr 10/24/13		
SECTION BOX: WELL'S STATION	WATER LEVEL	ft	after hours pumping gpn		
N Pump to	est data: Well water was	ft.	after hours pumping gpm		
Est. Yield gpm: Well water was ft. after hours pumping gpm  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
W X E Domestic 3 For 2 Irrigation 4 Ir	ndustrial 7 Domestic (law	n & garden)	Monitoring well		
1 1 1 1 1 1 1	idustriai / Domestic (lav	n ce gardon) V			
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs					
Water Well Disinfected / Yes NO A					
S Sample was subm	nittea	·	G - GD IG TOD TEG - Clark - Clared		
5 TYPE OF CASING USED: 5 W	Vrought Iron 8 C	oncrete tile	CASING JOINTS: Glued Clamped		
(CD) ( A	1 - 4 - C 0 ()	hat (charity he	NOW) WEIGER		
(2)PVC 4 ABS 7 F	iberglass		Inreaded A		
Blank casing diameter 2 in. to	<b>29.90</b> ft., Dia	in. to	ft., Dia in. to		
1 Steel 3 RMP (SR) 6 Assessos-Cement 9 Other (specify below)  (2) PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 29.90 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.21 ft., Weight lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)					
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot					
LOOPERA DEDECT ATEC INTERMATE: From 70 00 ft to 54.90 ft. FIOID 10.00 10.00					
From ft. to ft. From ft. to					
GRAVEL PACK INTERVALS:	Erom 28 ff	to 5530	TI From 11.10		
GRAVEL FACE INTERVALS.	From ft.	to	ft. From ft. to f		
2 Companies (A)Other Congrete: 0.1ft					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1ft Grout Intervals From 1 ft. to 28 ft. From ft. to ft. From ft. to ft.					
Grout Intervals From 1 ft. to 28 ft. From 11. to 11					
What is the nearest source of possible contamination:  1 Servic tank  4 Lateral lines 7 Pit privy  10 Livestock pens  13 Insecticide Storage  16 Other (specify					
1 Septic tank 4 Lateral files 7 It privy					
2 Sewer lines 3 Cess pool 6 Sewage lagoon 191 del stolage					
J Watertight 36 wer three o Beefrage For					
Direction from well? NW			PLUGGING INTERVALS		
	0010 =	ROM TO	PLUGGING INTERVALS		
0 55.30 Grass on top; Brown	n silty clay				
			Flushmount waiver from BOW		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed, (2) reconstructed, or (3) plugged and this record is true to the best of my knowledge and belief					
funder my furisulction and was completed on (moreday) on					
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on the day, early 1113/13					
Kansas water well contractor s Electise 146.		under the business halfe of Parkers of Brooks and Environment Rureau of Water			
under the business name of Larsen & Assoc			Construent of Health and Environment Rureau of Water		
under the business name of Larsen & Assoc	correct answers. Send top three	copies to Kansas D	Department of really and Environment, Bureau of Water, 22. Send one to WATER WELL OWNER and retain one		