<b>**</b> :		W	ATER WELL RE	CORD Form	WWC-5	KSA 82a	-1212 ID No	)		
		ATER WELL:	Fraction	010	111.		ction Number	Township Num	nber	Range Number
	Dunip			SW 1/4			6	<u>کہ</u> ت	s l	R 2/ (E)W
Distance a	· · · · · · · · · · · · · · · · · · ·	/ <i>/</i>	wn or city street	a de la companya del la companya de		rithin city?				
2 WATE	R WELL OV		1 my	Mansa						
_	ddress, Bo		ed Kon	rer				Decoded Accid	- t	
	, ZIP Code	# : 147	to Farkt		87			Application Nu		sion of Water Resourc
		OCATION WITH		COMPLETED W	ELL	$\overline{}$	ft. ELEVAT			
	N SECTION		<u> </u>	ndwater Encoun	tered 1	35	ft.	2	ft. 3	ft.
Г	N I	1	WELL'S STAT	IC WATER LEVE	≣L <b>.3</b> §"	ft. be	gw land surface	e measured on mo/da	ay/yr	
	1	7 I	Est. Yield	imp test data:	well water ' Nell water '	was <b>/</b> ⊃ was	tπ. a. ft a	fter DD 4 A	hours pur	npinggr npinggp
-	-NW	NE	WELL WATER	TO BE USED A	S: 5 P	ublic water	supply	8 Air conditioning	11 Inje	ction well
w	,	ا ا	2 Irrigation			il field wate		9 Dewatering		er (Specify below)
VV	!	<del></del> E	2 irrigation	4 industri	al / D	omestic (ia	wn & garden)	io Monitoring well	•••••	
_	-sw	SE	Was a shamin	al/bastarialagiaa	l comple o	.hmittad ta	Danastmant? V	na Nath	If was made	day/yrs sample was su
	1		mitted	ai/bacteriologica	i sample st	ibmilled to		ter Well Disinfected?		No
<b>└</b>	1									
5 TYPE	OF BLANK	CASING USED:		5 Wrought iro	on .	(8)Concr	ete tile	CASING JOINT	S: Glued	Clamped
1 Ste	el	3 RMP (S		6 Asbestos-C		9 Other	(specify below)		Welded	
2 PV		4 ABS		7 Fiberglass						ed
Casing bo	ng diametei	ond surface	in. to		ft., Dia	7 /2	in. to	ft., Dia		in. to No. <b>3</b>
				in., weight	ر	<i>کی</i> ۲ P۱				
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel				5 Fiberglass		MP (SR)		10 Asbestos-Cement 11 Other (Specify)		
2 Bra		4 Galvani	zed Steel	Concrete til	e	9 AE			used (oper	
SCREEN	OR PERFO	RATION OPENII	NGS ARE:			d wrapped		8 Saw cut	1	1, None (open hole)
	tinuous slo		Mill slot		6 Wire w			9 Drilled holes	Tarka	a preside
	vered shutte		Key punched		7 Torch o					groove
SCREEN-	PERFORAT	ED INTERVALS	: From		ft. to		ft., From .		ft. to	
	GRAVEL PA	ACK INTERVALS								
6 GBOI	JT MATERIA	ΔI· 1 Nea	at cement	2 Cement g	arout	(A)	tonite 4	Othor		
Grout Inte				Dft. From	n	ft	to			it. to
		ource of possible		<b>O</b>				ock pens 400 du		
1 Se <sub>l</sub>	otic tank	4 Late	ral lines	7	Pit privy		11 Fuel st			well/Gas well
2 Sewer lines 5 Cess pool			8 Sewage lagoon		goon	12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insecticide storage			
Direction f							How many	/ feet?	.,,	
FROM	то		LITHOLOGI	C LOG		FROM	то	PLUG	GING INTE	RVALS
		10653	<u></u>							
20	35		w.	nd Blown						· · · · · · · · · · · · · · · · · · ·
35	45	Sund								
	45	Bearoc	<u> </u>						•	
***************************************										
										<u> </u>
7	L					_				
△ CONTE	ACTOR'S	OR LANDOWNE	R'S CERTIFICA							my jurisdiction and wa
		year)<	28-05							vledge and belief. Kans
	usiness nar		ch 0,5	$(l \times 1)^{-1}$	iis vvater W	rell Hecord		l on (mo/day/yr) <i>Y</i> ignature) <i>V</i> /		
		ewriter or ball point pe		10 mg 5 C	<i>y</i> .				ree conies to l	<b>/</b>

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>FRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.