MANATED MELL	Form MANAIC 5	KSA 82a-1212

1 LOCA	TION OF WA	TER WELL:	Fraction			Section Number	Township Nu	ımber	Range N	lumber
County:	Washing	ton	SE ¼	SW ¼ N	E 14	2	T 3	S	R 3	₽ W
		n from nearest town	or city street a	ddress of well if local	ted within o	city?	_ L		I	
313 W	. College S	Str., Washington	, Kansas							
2 WAT	ER WELL O	WNER: Twin Stat	e Energy LL	C		 				
		×# : P.O. Box					Board of Agricu	Iture Divis	sion of Water	Resources
ľ	e, ZIP Code		020 Nebraska 68	310			Application Nur		sion of vvaler	vesources
	TE WELL'S			MPLETED WELL	22	A 515	• • •		225 62	
→ Mith	AN "X" IN S									
				vater Encountered						
∓		W		WATER LEVEL						
	NW	NE _		test data: Well wate						
	IAAA	I NE Es	st Yield NA	gpm: Well wate	erwas	ft. a	fter	hours pur	mping	gpm
Wije W		X E Bo	ore Hole Diamet	er8in. to	o	33 ft.,	and	in	. to	ft.
₩				DIBE USED AS: 5			8 Air conditioning		Injection well	
`.	!	1 '	1 Domestic	3 Feedlot 6	Oil field v	vater supply	9 Dewatering		Other (Specify	/ below)
	SW	SE	2 Irrigation				10 Monitoring well		(-p)	
	!	l lw		pacteriological samp						
<u> </u>			ubmitted				ater Well Disinfecte			√
=1 TVDE	OF DLANK	CASING USED:		- Manualtian	0.0-	ncrete tile			1	•
				Wrought iron						
	Steel	3 RMP (SR)		Asbestos-Cement		ner (specify belo			ed	
	PVC	4 ABS		7 Fiberglass						
	-	r .2 i								
Casing h	eight above l	and surface :	21.84 ii	n., weight			ft. Wall thickness	or gauge N	lo	
TYPE OF	SCREENC	R PERFORATION N	MATERIAL		7	PVC	10 Asb	estos-cem	ent	
1 5	Steel	3 Stainless st	teel 5	5 Fiberglass	Ŷ	RMP (SR)	11 Othe	er (specify))	
2 1	Brass	4 Galvanized		Concrete tile		ABS		e used (op		
		RATION OPENINGS			ed wrappe		8 Saw cut		11 None (or	on hole)
	Continuous s				wrapped		9 Drilled holes		ii ivolie (op	en noie)
•				7 Torch				`		
	Louvered shi		punched				10 Other (specify			
SCREEN	-PERFORA	ED INTERVALS:		18 ft. to						
	004151.04	OV 15 FFF PS (4) O	From	ft. to		π., Fr	om	π.	to	π
	GRAVEL PA	CK INTERVALS:		16 ft. to						
				ft. to						
	Л MATERIA		ment 2	Cement grout	(3) B€	entonite 4	Other			
Grout Int	ervals: Fro	m	. to 14∵.	ft., From	.14	ft. to 16 .	ft, From		ft. to	ft
What is	he nearest s	ource of possible co	ontamination:			10 Live:	stock pens	14 A	bandoned wat	er well
1 Se	otic tank	4 Lateral	lines	7 Pit privy		11 Fuel	storage	15 C	il well/Gas wel	l
	wer lines	5 Cess po		8 Sewage lag	ioon		lizer storage	_	ther (specify I	
		er lines 6 Seepag		9 Feedyard	,00		cticide storage		ST Tanks	50.011)
	from well?		,o p	0 . 000,0.0			ny feet? 75	• • • • • • • • • • • • • • • • • • • •	Di. Tollki	
FROM	TO TO	South	EITHOLOGIC L	OG .	FROM			I KACINKA II	VIERVALS	
0		Crovel	LITTIOLOGIO L		- 1101	" '		00011011	TILITORIO	
	0.5	Gravel,	1 B							
0.5	2.5	Clay, Brown/Da								
2.5	10	Clay, Green-Gr		· · · · · · · · · · · · · · · · · · ·				·····		
10	15	Clay, Red-Brow			_					
15	33	Clay, Brown/O	range-Brown			T				
								· · · · · · · · · · · · · · · · · · ·		
	1									h**
	†									
	+									
	1		· · · · · · · · · · · · · · · · · · ·			_				
		 			+					···
							MW3 , Tag # 00189	149 , Flush	mount	
						1	Project Name: Fari	mers Oil C	ompany	
			······································			<u> </u>	GeoCore # 556 , KI	OHE # A5 1	101 40126	
7	PACTOP'S	OR LANDOWNER'S	CERTIFICATIO	N: This water wall w	29 11 cor					iction
		n (mo/day/year)					ecord is true to the			
		Contractor's License			ııs vvater V		· · ·	ygay/yr) .	· ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	70
under the	e business n	ame of	GeoCor	e Services, Inc.		by (signa	ature) 🚣	All	Kerter	
INST Depa	RUCTIONS: Us	se typewriter or ball point n and Environment, Burea	pen. <i>PLEASE PRE</i> au of Water, Topeka,	SS FIRMLY and PRINT of Kansas 66620-0001. Te	clearly. Plea dephone: 913	se fill in blanks, und -296-5545. Send on	erline or circle the corre te to WATER WELL OV	ct answers. \$ VNER and ret	Send top three co ain one for your re	pies to Kansas cords.