

1 LOCATION OF WATER WELL: County: Washington	Fraction NW 1/4 SW 1/4 NW 1/4	Section Number 9	Township Number T 3 S	Range Number R 4 (E)W
--	---	----------------------------	---------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

3 East of Washington on HWY 36, 1/4 South

2 WATER WELL OWNER: J. V. Cole RR#, St. Address, Box # : 599 Woodland Drive City, State, ZIP Code : Washington, KS 66968	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 102 ft. ELEVATION:
--	---

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL **58** ft. below land surface measured on mo/day/yr **11/10/04**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)	9 Dewatering	12 Other (Specify below)

Livestock

Was a chemical/bacteriological sample submitted to Department? Yes No *****; If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes ***** No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued * Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-Cement
Blank casing diameter 5 in. to 82 ft., Dia in. to in. to	11 Other (Specify)
Casing height above land surface 18 in., weight 200 lbs./ft.	12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	8 RMP (SR)	9 ABS
1 Steel	3 Stainless Steel	5 Fiberglass	6 Concrete tile
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 82 ft. to 102 ft.	From ft. to	From ft. to
GRAVEL PACK INTERVALS:	From 20 ft. to 102 ft.	From ft. to	From ft. to

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 <u>Bentonite</u>	4 Other
Grout Intervals: From 5 ft. to 20 ft. ft. to ft. to ft. to ft. to
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
Direction from well? NE				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				How many feet? 100

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	6	Brown Clay			
6	27	Yellow Shale & Limestone			
27	34	Gray Shale			
34	41	Red Shale			
41	67	Gray Shale			
67	73	Red Shale			
73	77	Gypsum			
77	102	Gray Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **11/10/04** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **518** This Water Well Record was completed on (mo/day/yr) **11/12/04** under the business name of **Blue Valley Drilling** by (signature) *[Signature]*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well!