			Fraction				Section Number			Township Number			Range Number		
	ashing			4 SE	½ SE	1/4		18	T	3	S	R	_5_	(E)W	
Distance an	nd direction f	rom nearest to	wn or city stree	t address o	f well if locat	ted within	city?								
2 Sout	th & 7	East o	of Washi	ngton											
WATER	WELL OW	NER: Beave	er Creek	Hog											
_			Zenith :	_					Boa	rd of Aari	iculture, D	vision of	Water	Resourc	
City, State,	ZIP Code	: Hanos	ver. KS	66945					App	lication N	lumber:				
LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF	COMPLET	ED WELL	140	D	ft. ELEVA	TION:						
	SECTION		Depth(s) Gro	undwater F	ncountered	1		f	t. 2		ft. 3			ft.	
	Ņ		Depth(s) Grown	TIC WATER	LEVEL	59	ft. belo	w land surfac	ce measured	on mo/o	day/yr	7/18	/06		
		;	P	ump test da	ata: Well w	ater was .		ft.	after		hours pu	ımping		gp	
	-NW	- NE	Est. Yield											gp	
		1	WELL WATE		SED AS: eedlot	5 Public	water s	upply	8 Air cond	itioning	11 IN	ection w	ell cify be	low)	
w	1	E	2 Irrigatio		dustrial	7 Domes	a water stic (law	supply n & garden)	10 Monitor	ing ina well .	Hog	Buil	dib	J	
**	1				duotinai	, 50,,,00	ono (lavv	ii a garaon,	10 1110111101						
	-sw -	- SE	Was a chemi-			. 1			Van Ni	*	. 16	. / /			
	-500 -		was a chemi	cal/bacterio	logical samp	ole submit	ted to L	epartment?	yes No /ater Well Di	oinfactac	; if yes, m	o/day/yrs :		e was su lo	
	i	 *	milled					vv	alei Well Di	Simeolec	1: 165		,,,	,0	
	S														
		ASING USED:		5 Wrou	ght iron	8	Concre			NG JOIN	ITS: Glued				
1 Steel 3 RMP (SR)			SR)	6 Asbe	ght iron stos-Cement glass	t 9		specify below				ed			
2 PVC		4 ABS					•••••				inrea	ded			
Blank casir	ng diameter	<u>.</u>	in. to 18		ft., Dia	200		in. to		.π., Dia .		ir	265		
					veight								•••••		
			ON MATERIAL:		glass		7 PV	IP (SR)			stos-Cem r (Specify)				
1 Stee 2 Bras		 3 Stainles 4 Galvani 		6 Conc			9 ABS				used (op				
				0 00110				•			o dood (op	,		11-1	
		ATION OPENI				uazed wra Ire wrapp			8 Saw c			11 None	e (oper	nole)	
	inuous slot		Mill slot Key punched			orch cut	eu		10 Other						
	ered shutter		, ,	130			140	ft., From							
SCREEN-F	ERFORATE	D INTERVALS		1.3.0	It. to			ft., From	۱ ،	•••••	π. το # to				
c	BRAVEL PAG	CK INTERVALS	S: From	30	ft. to	1	140	ft., From	۱ ۱		ft. to				
•								ft., From							
	T MATERIA		at cement		ment grout			The state of the s	4 Other						
			ft. to		., From		ft. to	o	ft., Fro	m					
What is the	nearest sou	rce of possible	e contamination	:					stock pens			bandone			
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel storage							
2 Sew	er lines	5 Ces	s pool	8 Sewage lagoor			oon 12 Fertilizer storage				16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insec	ge							
Direction fro	om well? 🎗	North						How ma	ny feet? 2	0					
FROM	ТО		LITHOLOG	IC LOG		FR	ЮМ	TO		PLU	GGING IN	TERVAL	3		
0	8	Brown (Clav												
8	30		Shale &	Limes	stone										
	34	Gray Sh													
30 34	36	Limesto													
	38	Gray Si					-								
36		Red Sha				_									
38	64								-1.00						
64	98	Gray Sh					-								
98	130	Red Sha													
130	141	Tan Sna	ale & Li	mescor	16										
CONTR	ACTOR'S O	R LANDOWN	ER'S CERTIFIC	ATION: Th	is water wel	ll was_(1)	constru	icted. (2) rec	onstructed.	or (3) plu	ugged und	ler my iu	risdictio	on and w	
ompleted o	n (mo/day/y	ear)7 / 1.8	8/06					and this re	ecord is true	to the be	st of my kn	gwjedge	and be	lief. Kan	
Vater Well	Contractor's	Licence No			I nis wa	ater Well F	Record	was complete	ed on (mo/da	ay/yr <u>)</u>	871	0/06			
nder the bu	usiness nam	e of Blue	e Valley	Dril:	ling				(signature)	5	4	1			
										474	1119				