


1 LOCATION OF WATER WELL: County: <u>Washington</u>	Fraction <u>NE</u> 1/4 <u>SE</u> 1/4 <u>NE</u> 1/4	Section Number <u>29</u>	Township Number <u>T 4 S</u>	Range Number <u>R 1 E</u> E/W
--	---	-----------------------------	---------------------------------	----------------------------------

Distance and direction from nearest town or city street address of well if located within city?  
From Clifton, 1 m. North, 2 1/2 m. West, 6 1/2 m. North of Clifton

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code : <u>Leroy Pearson</u> <u>Clyde, Kansas 66938</u>	Board of Agriculture, Division of Water Resources Application Number:
--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  	4 DEPTH OF COMPLETED WELL: <u>100'</u> ft. ELEVATION: <u>1400'</u>
	Depth(s) Groundwater Encountered 1. <u>77</u> ft. 2. _____ ft. 3. _____ ft.
	WELL'S STATIC WATER LEVEL <u>55'</u> ft. below land surface measured on mo/day/yr <u>May 4, 1983</u>
	Pump test data: Well water was <u>100'</u> ft. after <u>3/4</u> hours pumping <u>30</u> gpm

5 TYPE OF BLANK CASING USED: 1 Steel <u>X 2 PVC</u> 3 RMP (SR) 4 ABS Blank casing diameter <u>5"</u> in. to <u>80'</u> ft., Dia. _____ in. to _____ ft., Dia. _____ in. to _____ ft. Casing height above land surface <u>12</u> in., weight <u>3</u> lbs./ft. Wall thickness or gauge No. <u>258</u>	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: <u>X</u> Glued <u>X</u> Clamped _____ Welded _____ Threaded _____
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	<u>X 7 PVC</u> 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) _____ 12 None used (open hole)	<u>X 8 Saw cut</u> 9 Drilled holes 10 Other (specify) _____ 11 None (open hole)
SCREEN-PERFORATED INTERVALS: From <u>80</u> ft. to <u>100</u> ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft.	GRAVEL PACK INTERVALS: From <u>X 14</u> ft. to <u>100</u> ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft.		

6 GROUT MATERIAL: Grout Intervals: From <u>X 4</u> ft. to <u>14</u> ft., From <u>X 100</u> ft. to _____ ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.	1 Neat cement <u>X 2 Cement grout</u> 3 Bentonite 4 Other _____
What is the nearest source of possible contamination: <u>NONE</u>	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
Direction from well? FROM TO LITHOLOGIC LOG	How many feet? 17 Septic tank 18 Sewer lines 19 Watertight sewer lines 20 Lateral lines 21 Cess pool 22 Seepage pit 23 Pit privy 24 Sewage lagoon 25 Feedyard

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	30	Top soil & Clay			
30	37	Sandrock			
37	58	Calico Clay			
58	77	Brown Clay			
77	100	Sandrock			
100	105	Clay - Stopped			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>May 4, 1983</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>361</u> . This Water Well Record was completed on (mo/day/yr) <u>May 5, 1983</u> under the business name of <u>Cox-Beswick Irrigation Service, Inc.</u> by (signature) <u>J. Francis Cox</u>
--

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T 4 R 1 EW SEC. 29 NE 1/4 SE 1/4 NE 1/4