KOLAR Document ID: 1538209

WATER WELL RECORD Form WWC-5					ion of Wate			,,,	7 11 115		
Original Record Cor 1 LOCATION OF WATE		e in Well Use			rces App. N		Torringhin I		Vell ID	aa Numbaa	
County:	K WELL:	Fraction 1/4 1/4 1/4	1/4	Secu	on Numbe	r 1	Township I T	Number S	Rang	ge Number □ E □ W	
2 WELL OWNER: Last Na			Rura	1 Address v	where						
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance a direction from nearest town or intersection): If at owner's address, check her											
Address:										_	
Address: City:	ZIP:										
2 LOCATE WELL	State:	<u> </u>									
WITH "X" IN 4	WITH "X" IN 4 DEPTH OF COMPLETED WELL:				5 Latitu	ıde:				(decimal degrees)	
SECTION BOX:	N ROX. Depth(s) Groundwater Encountered: 1)									(decimal degrees)	
N W	2) ft. 3) ft., or 4) \(\subseteq WELL'S STATIC WATER LEVEL:						/GS 84 [; 🔲 N	AD 27	
					atitude/Lon			,			
	Pump test data: Well water was ft.				☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)						
1, 1,2 Pm					□ La	☐ Land Survey ☐ Topographic Map					
W = X = X					Online Mapper:						
SW SE		ater was ft.									
	s pumping	gpm			6 Elevation :ft. ☐ Ground Level ☐ TOC						
	in. to ft. and			Source: Land Survey GPS Topographic Map							
mile	in. to					☐ Other					
7 WELL WATER TO BE USED AS:											
1. Domestic:		ter Supply: well ID									
Household					11. Test Hole: well ID						
☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID ☐ Livestock 8. ☐ Monitoring: well ID											
2. Irrigation											
3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water						
4. ☐ Industrial	☐ Recovery	☐ Injection									
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
Water well disinfected? ☐ Yes ☐ No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft. to											
							ft. to		ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft.											
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well											
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Specify)											
Direction from well?									110 0	3 D IMPERATOR	
10 FROM TO	LITHOLOG	GIC LOG	FROM	М	TO	LITH	O. LOG (co	ont.) or PL	UGGING	GINTERVALS	
			1								
			1								
			Notes	:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Water Well Contract	or's License No	This Wa	ter Well	Reco	rd was con	nplete	d on (mo-	day-year)			
under the business name of										• • • • • • • • • • • • • • • • • • • •	
	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone /85-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											