	WATÉR	WELL RECORD For	n WWC-5 KSA 8	2a-1212 ID No. SB-07R	
1 LOCATION OF WATER WELL:	Fraction		Section Nun		1 / \
County: Nemaha	NE ¼		<u>%</u> 1	т 4 s	R 11 EW
Distance and direction from nearest to	wn or city street addre	ess of well if located wi	min city?		
2 WATER WELL OWNER: USDA	VCCC				
RR#, St. Address, Box# : Stop	0513, Room <i>4</i> 7 [,]	17-S/ 1400 Inden	endence Ave	SW Board of Agricultura	Division of Water Resources
City, State, ZIP Code : Wash	ington, DC 202	250-0513		Application Number:	
LOCATE WELL'S LOCATON WITH					
AN "X" IN SECTION BOX:		MPLETED WELL	60 ft.	ELEVATION:	1,332.4
N	Depth(s) Groundwa	ater Encountered 1_	40	ft. 2	ft. 3
4 ×	WELL'S STATIC W	MATER LEVEL 1	./5 ft. below	and surface measured on mo	
NWNE	Pump to	est data: Well water	was N/A	ft. after N/A ho	urs pumping N/A gpm
	Est. Yield N/A	gpm: Well water	was N/A	ft. after NVA ho	urs pumping N/A gpm
₹ W	Bore Hole Diamete	e 0.23 in to REUSEDAS: 5 Più	hlic water sunniv	ft. and N/A 8 Air conditioning 9 Dewatering	in. to N/A it.
	1 Domestic	3 Feed lot 6 Oil	field water supply	9 Dewatering	12 Other (Specify below)
SWSE	2 Irrigation	4 Industrial 7 La	wn and garden (dor	nestic) 19 Monitoring well	
♦		cteriological sample su	ibmitted to Departm	ent? Yes No X If	yes, mo/day/yr sample was
S	submitted N/A			Water Well Disinfected? Ye	
5 TYPE OF BLANK CASING USED:		5 Wrought Iron	8 Concrete tile	CASING JOINTS: (Glued Clamped
1 Steel 3 RMP	(SR)	6 Asbestos-Cement	9 Other (specify		Welded
(2) PVC 4 ABS		7 Fiberglass			Threaded X
Blank casing diameter 2"	in. to 45	ft., Dia N //	in. to	VA ft., Dia N/A	in. to NA ft.
Casing height above land surface		., weight Sche	dule 40 b	s./ft. Wall thickness or gauge	No. 1540"
TYPE OF SCREEN OR PERFORATION	ON MATERIAL: iless steel	5 Fiberglass	7 PVC	10 Asbestos-c SR) 11 Other (spe	cement
		6 Concrete tile	9 ABS	12 None used	(open hole)
SCREEN OR PERFORATION OPEN			d wrapped rapped		11 None (open hole)
	Mill slot			9 Drilled holes	
	Key punched	7 Torch		10 Other (specify)	
SCREEN-PERFORATED INTERVALS	5: From4			ft. From	
				ft. From	
GRAVEL PACK INTERVALS:				ft. From ft. From	
6 GROUT MATERIAL: 1 Near	From	ft. to	3 Rentonite	A Other BenSeal	
Grout Intervals From 41 (#1)	ft to 0.5	ft From 43 (#4) ft to	41 ft. From N	A fito N/A fit
What is the nearest source of possible				Livestock pens 14	Abandoned water well
1 Septic tank		7 Pit privy			Oil well/ Gas well
		8 Sewage I	agoon 12	Fertilizer storage 16	Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard		Insecticide storage	
Direction from well?		00100			1,200' East
FROM TO CODE TO TO	LITHOLO op Soil	GIC LOG	FROM TO	PLUGGIN	IG INTERVALS
	itt and Clay		 		
46' 47½' S	ity Clay				
47½' 48' S	ity Clay with so				
	itty Clay and Sa	and			
54' 60' C	lay and Silt				
					7
	WI WI W TO				
7 CONTRACTOR'S OR I ANDOWNI	R'S CERTIFICATION	N: This water well was	(1) constructed (2)	reconstructed, of (3) plugged in	inder my jurisdiction and was
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, (3) plugged under my jurisdiction and was completed on (mo/day/yr) O1/30/06 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No.				ell Record was completed on	•
inder the hijeiness name of	Delta	Environmental		by (signature)	
INCTRICTIONS: Please fill in blan	ke and circle the correc	t answers. Send three co	pies to Kansas Depa	rtment of Health and Environment	Boreau of Water, 1000 S W
Jackson St., Ste. 420, Topeka, Kans	as 66612-1367. Telepi	none: 913-296-5545. Se	nd one to WATER W	ELL OWNER and retain one for	your records.