

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

NW SW NE

ACB

1. Location of well:	County Brown	Fraction NW SE 1/4 SE 1/4 NE 1/4	Section number 3	Township number T 4	Range number S 15 EW
2. Distance and direction from nearest town or city: Street address of well location if in city:	7 South 1/2 East Fairview, KS		3. Owner of well: Ray Skock R.R. or street: RR City, state, zip code: Fairview		
4. Locate with "X" in section below: N W E S 1 Mile	Sketch map: County Road Pringle Feed lots 2000' X		6. Bore hole dia. 10 in. Completion date 4-6-77 Well depth 50 ft.		
5. Type and color of material	From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Top Soil	0	3	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Brown Clay	3	9	9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC Blue Weight 2.74 lbs./ft. Dia. 5 in. to 50 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 1258		
Brown silty clay	9	20	10. Screen: Manufacturer's name Pumped Type PVC Dia. 5" Slot/gauze 30 Length 15 Set between 35 ft. and 50 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 20-60		
Brown sandy clay	20	21	11. Static water level: <input type="checkbox"/> mo./day/yr. 30 ft. below land surface Date 4-6-77		
Gray Clay	21	25	12. Pumping level below land surfaces: Air test <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 15 g.p.m.		
Gray sandy clay	25	30	13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
Gray Clay w/Br Flint Gravel	30	33	14. Well head completion: Top cased <input type="checkbox"/> Pitless adapter 24 inches above grade		
Gray clay	33	34	15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 5 ft. to 15 ft.		
Gray Shale	34	50	16. Nearest source of possible contamination: Feed lots ft. 2,000 Direction NW Type lots Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
			17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation: 1100 Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley	19. Remarks: Owner will pour cement slab around well		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. STRADER DRHQ Co Inc 182 Business name License No. Address RTI Holton, KS Signed Dale Ashburn Date 4-6-77 Authorized representative		

BR = 1066

Y = 1070

4 150 3 SE SE NW
1/4 1/4 1/4