

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.


MW-11

Original Record Correction Change in Well Use

Well ID

1 LOCATION OF WATER WELL: County: <u>Brown</u>	Fraction <u>¼ NW ¼ NW ¼ SW ¼</u>	Section Number <u>15</u>	Township Number <u>T 4 S</u>	Range Number <u>R 15 E W</u>
--	-------------------------------------	-----------------------------	---------------------------------	---------------------------------

2 WELL OWNER: Last Name: <u>Sac n Fox</u> Business: <u>Sac n Fox</u> Address: <u>1346 US 75 Highway</u> City: <u>Powhattan</u> State: <u>KS</u> ZIP: <u>66527</u>	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: <input type="checkbox"/> <u>Sac n Fox Fuel Station Facility</u> <u>1346 US 75 Highway, Powhattan, KS 66527</u>
---	---

3 LOCATE WELL WITH "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>18</u> ft. Depth(s) Groundwater Encountered: 1) <u>5</u> ft. 2) <u>N/A</u> ft. 3) <u>N/A</u> ft. or 4) <input type="checkbox"/> Dry Well WELL'S STATIC WATER LEVEL: <u>6.01</u> ft. <input checked="" type="checkbox"/> below land surface, measured on (mo-day-yr) <u>1/25/17</u> <input type="checkbox"/> above land surface, measured on (mo-day-yr) Pump test data: Well water was <u>N/A</u> ft. after <u>N/A</u> hours pumping <u>N/A</u> gpm Well water was <u>N/A</u> ft. after <u>N/A</u> hours pumping <u>N/A</u> gpm Estimated Yield: <u>N/A</u> gpm Bore Hole Diameter: <u>8.25</u> in. to <u>18</u> ft. and <u>N/A</u> in. to <u>N/A</u> ft.	5 Latitude: <u>39.703.65</u> (decimal degrees) Longitude: <u>95.729.31</u> (decimal degrees) Horizontal Datum: <input checked="" type="checkbox"/> WGS 84 <input type="checkbox"/> NAD 83 <input type="checkbox"/> NAD 27 Source for Latitude/Longitude: <input type="checkbox"/> GPS (unit make/model:) (WAAS enabled? <input type="checkbox"/> Yes <input type="checkbox"/> No) <input type="checkbox"/> Land Survey <input checked="" type="checkbox"/> Topographic Map <input type="checkbox"/> Online Mapper:
	6 Elevation: <u>1148.32</u> ft. <input type="checkbox"/> Ground Level <input checked="" type="checkbox"/> TOC Source: <input checked="" type="checkbox"/> Land Survey <input type="checkbox"/> GPS <input type="checkbox"/> Topographic Map <input type="checkbox"/> Other	

7 WELL WATER TO BE USED AS:

1. Domestic: <input type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input type="checkbox"/> Livestock	2. <input type="checkbox"/> Irrigation	3. <input type="checkbox"/> Feedlot	4. <input type="checkbox"/> Industrial	5. <input type="checkbox"/> Public Water Supply: well ID	6. <input type="checkbox"/> Dewatering: how many wells?	7. <input type="checkbox"/> Aquifer Recharge: well ID	8. <input checked="" type="checkbox"/> Monitoring: well ID <u>MW-11</u>	9. Environmental Remediation: well ID	10. <input type="checkbox"/> Oil Field Water Supply: lease	11. Test Hole: well ID	12. Geothermal: how many bores?	13. <input type="checkbox"/> Other (specify):
---	--	-------------------------------------	--	--	---	---	---	---	--	------------------------------	---------------------------------------	---

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded
Casing diameter 2 in. to 5 ft. Diameter N/A in. to N/A ft. Diameter N/A in. to N/A ft.
Casing height above land surface 30 in. Weight N/A lbs./ft. Wall thickness or gauge No. Sch. 40

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel Fiberglass PVC Other (Specify)
 Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 5 ft. to 18 ft. From N/A ft. to N/A ft. From N/A ft. to N/A ft.
GRAVEL PACK INTERVALS: From 3 ft. to 18 ft. From N/A ft. to N/A ft. From N/A ft. to N/A ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0-1 feet
Grout Intervals: From 1 ft. to 3 ft. From N/A ft. to N/A ft. From N/A ft. to N/A ft.

Nearest source of possible contamination:
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify)

Direction from well? South Distance from well? 210 ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	6	CH: stiff. moist. dk brn to av-bry CLAY			
6	16	MH: stiff. moist. org-av clayey SILT			
16	18	ML: stiff. moist. org-av sandy SILY			

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 1-23-2017 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 759. This Water Well Record was completed on (mo-day-year) 1-29-2017 under the business name of RAZEK Environmental, LLC Signature [Signature]