


**WATER WELL RECORD**

**Form WWC-5**

Division of Water Resources App. No.  

<b>1 LOCATION OF WATER WELL:</b> County: <u>Brown</u>	Fraction <u>SW 1/4 SE 1/4 SE 1/4</u> 1/4	Section Number <u>29</u>	Township No. T <u>04</u> S	Range Number R <u>16</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> .		<b>Global Positioning System (GPS) information:</b> Latitude: <u>39.66798</u> (in decimal degrees) Longitude: <u>95.64253</u> (in decimal degrees) Elevation: <u>1070 ft</u> Datum: <input checked="" type="checkbox"/> WGS 84, <input type="checkbox"/> NAD 83, <input type="checkbox"/> NAD 27		
<b>2 WATER WELL OWNER:</b> <u>Pierre Heating &amp; Cooling Inc.</u> RR#, Street Address, Box #: <u>750 Hwy 7</u> City, State, ZIP Code: <u>Berdona, KS 66008</u>		Collection Method: <input checked="" type="checkbox"/> GPS unit (Make/Model: <u>Garmin ETREX</u> ) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input type="checkbox"/> <3 m, <input checked="" type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m		

<b>3 LOCATE WELL WITH AN "X" IN SECTION BOX:</b> N  S -----1 mile-----	<b>4 DEPTH OF COMPLETED WELL</b> <u>200</u> ft. Depth(s) Groundwater Encountered (1) <u>35</u> ft. (2) <u> </u> ft. (3) <u> </u> ft. WELL'S STATIC WATER LEVEL <u> </u> ft. below land surface measured on mo/day/yr..... Pump test data: Well water was <u> </u> ft. after <u> </u> hours pumping..... gpm EST. YIELD <u>30</u> gpm. Well water was <u> </u> ft. after <u> </u> hours pumping..... gpm Bore Hole Diameter <u>6</u> in. to <u>200</u> ft., and <u> </u> in. to <u> </u> ft. WELL WATER TO BE USED AS: <input type="checkbox"/> Public water supply <input checked="" type="checkbox"/> Geothermal <input type="checkbox"/> Injection well <input type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Domestic-lawn & garden <input type="checkbox"/> Monitoring well ..... Was a chemical/bacteriological sample submitted to Department? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, mo/day/yr sample was submitted..... Water well disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No
--	--

**5 TYPE OF CASING USED:**  Steel  PVC  Other HDPE

CASING JOINTS:  Glued  Clamped  Welded  Threaded  
Casing diameter 3.1 in. to 200 ft., Diameter   in. to   ft., Diameter   in. to   ft.  
Casing height <sup>below</sup> land surface 48 in., Weight   lbs./ft., Wall thickness or gauge No.  

**TYPE OF SCREEN OR PERFORATION MATERIAL:**  
 Steel  Stainless Steel  PVC  Other (Specify)    
 Brass  Galvanized Steel  None used (open hole)

**SCREEN OR PERFORATION OPENINGS ARE:**  
 Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)  
 Louvered shutter  Key punched  Wire wrapped  Saw cut  Other (specify)  

**SCREEN-PERFORATED INTERVALS:** From   ft. to   ft., From   ft. to   ft., From   ft. to   ft.  
From   ft. to   ft., From   ft. to   ft., From   ft. to   ft.

**GRAVEL PACK INTERVALS:** From   ft. to   ft., From   ft. to   ft., From   ft. to   ft.  
From   ft. to   ft., From   ft. to   ft., From   ft. to   ft.

**6 GROUT MATERIAL:**  Neat cement  Cement grout  Bentonite  Other  

Grout Intervals: From 4 ft. to 200 ft., From   ft. to   ft., From   ft. to   ft., From   ft. to   ft.

What is the nearest source of possible contamination:  
 Septic tank  Lateral lines  Pit privy  Livestock pens  Insecticide storage  Other (specify below) House  
 Sewer lines  Cesspool  Sewage lagoon  Fuel storage  Abandoned water well  
 Watertight sewer lines  Seepage pit  Feedyard  Fertilizer storage  Oil well/gas well

Direction from well North Distance from well 27 ft.

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	1	Topsoil	145	190	Shale
1	30	Clay	190	195	Limestone
30	35	Sandy Clay	195	200	Shale
35	40	Gravel			
40	45	Shale			
45	50	Limestone			
50	100	Shale			
100	110	Limestone			
110	140	Shale			
140	145	Limestone			

**7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:** This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo/day/year) 6/28/11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 7100 This Water Well Record was completed on (mo/day/year) 8/18/2011 under the business name of Associated Drilling Inc. by (signature) [Signature]

**INSTRUCTIONS:** Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>.