KOLAR Document ID: 1493187

WATER '							sion of Water					
Original 1			hange in W				urces App. No			Well ID		
		ATER WELL:	Fract		, .,	Sect	ion Number	r	Township Numb		nge Number	
County:			l .	1/4 1/4 1/4 1/4 C+ + D			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					
2 WELL OWNER: Last Name:			First:			al Address where well is located (if unknown, distance and						
Business: Address:					from no	nearest town or intersection): If at owner's address, check here:						
Address:												
City: State:				ZIP:								
3 LOCATE WELL 4 DEPTH OF COM				red wett.	F. T. Alfa-Jan							
				PLETED WELL:ft.			5 Latitude:(decimal degrees) Longitude:(decimal degrees)					
SECTION BOX: 2) ft 3				3) ft., or 4) ☐ Dry Well								
N WELL'S STATIC WA'								WGS 84 □ NAI		NAD 27		
			and surface, measured on (mo-day-yr)				Source for Latitude/Longitude: GPS (unit make/model:)					
NW -	NF		above land surface, measured on (mo-day-yr)									
	i l		imp test data: Well water was ft.				☐ Land Survey ☐ Topographic Map				(0)	
w		after hours pumping gpm				Online Mapper:						
SW	SE	Well water was ft.										
	I I	after hours pumping gp.					6 Elevation:ft. ☐ Ground Level ☐ TOC					
X		Estimated Yield:gpm Bore Hole Diameter:in. to					Source: Land Survey GPS Topographic Map					
~					Other							
1 mile in. to ft. Uther												
1. Domestic:	ALEKIU		c Water Sur	nlv well ID			10 □ 0:1	Fiel	d Water Supply: 14	ease		
				ter Supply: well IDg: how many wells?			10. Oil Field Water Supply: lease					
				echarge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical					
☐ Livestock 8. ☐ Monitoring						12. Geothermal: how many bores?						
2. Irrigation 9. Environmenta						a) Closed Loop						
3. ☐ Feedlot ☐ Air Sparge							b) Open Loop Surface Discharge Inj. of Water					
4. ☐ Industrial ☐ Recovery			very	☐ Injection		13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? \[\subseteq \text{Yes} \] No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									• • • • • • • • • • • • • • • • • • • •			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
_		☐ Key Punched					one (Open Ho		other (specify)	• • • • • • • • • • • • • • • • • • • •	•••••	
SCREEN-PE	ERFORATE	D INTERVALS:	From						ft From	ft. to) ft.	
		K INTERVALS:										
		L: Neat cement										
		ft. to										
Nearest source	ce of possible	contamination:	No potent	ial source of co								
☐ Septic Ta		☐ Lateral		☐ Pit Privy			Livestock Per	ıs		cide Storage		
Sewer Li		Cess Po		☐ Sewage L			Fuel Storage			oned Water		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well												
☐ Other (Specify)												
10 FROM	TO		LOGIC LO		FRO				HO. LOG (cont.) or		IG INTERVALS	
10 TROM	10	EIII	LOGIC L	, , , , , , , , , , , , , , , , , , , 	TRO	111	10	2111	10. LOG (cont.) of	TECCOI	O II VIER VILD	
					Notes	s:	1					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \square constructed, \square reconstructed, or \square plugged												
under my jur	risdiction an	d was completed of	n (mo-day	-year)		and the	his record is	s true	e to the best of m	y knowled	lge and belief.	
Kansas Water Well Contractor's License No												
under the business name of												
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
		s.gov/waterwell/index		. 6, 2.2, 1			,, .	r	, 0.0012 150		SA 82a-1212	