

1 LOCATION OF WATER WELL: County: <u>Brown</u>	Fraction: <u>NW 1/4 NW 1/4 NW 1/4</u>	Section Number: <u>29</u>	Township Number: <u>T 4 S</u>	Range Number: <u>R 18 EW</u>
---	---------------------------------------	---------------------------	-------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?
Everest, KS. Near west edge of city limits off Prairie Road TP-02

2 WATER WELL OWNER: <u>USDA/ICC</u> RR#, St. Address, Box # : <u>stop 0513 - Room 4725</u> City, State, ZIP Code : <u>1400 Independence Ave SW Washington, DC 20250</u>	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>73.5</u> ft. ELEVATION:
--	---

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
9 Dewatering	10 Monitoring well	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No ; if yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="radio"/> PVC	4 ABS	7 Fiberglass	Welded Threaded <u>flush thread</u>
Blank casing diameter <u>2</u> in. to <u>49'</u> ft., Dia <u>2</u> in. to <u>73.5</u> ft., Dia in. to ft.	Casing height above land surface <u>0</u> in., weight lbs./ft. Wall thickness or gauge No. <u>sch 40</u>		
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless Steel	5 Fiberglass	<input checked="" type="radio"/> PVC
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RMP (SR)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut
1 Continuous slot	<input checked="" type="radio"/> Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:		8 8 Saw cut	11 None (open hole)
From <u>48.5'</u> ft. to <u>68.5'</u> ft., From ft. to ft.	GRAVEL PACK INTERVALS:		
From <u>46'</u> ft. to <u>74'</u> ft., From ft. to ft.	From ft. to ft., From ft. to ft.		

6 GROUT MATERIAL:	2 Cement grout
Grout Intervals: From <u>46'</u> ft. to <u>43'</u> ft., From <u>43'</u> ft. to <u>20'</u> ft., From <u>20'</u> ft. to <u>3'</u> Neat cement ft.	<input checked="" type="radio"/> Neat cement
What is the nearest source of possible contamination:	
1 Septic tank	4 Lateral lines
2 Sewer lines	5 Cess pool
3 Watertight sewer lines	6 Seepage pit
7 Pit privy	8 Sewage lagoon
9 Feedyard	10 Livestock pens
11 Fuel storage	12 Fertilizer storage
13 Insecticide storage	14 Abandoned water well
15 Oil well/Gas well	16 Other (specify below)
Direction from well? How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	25'	Brown Clay			
25'	45'	light Gray Clay			
45'	50'	Yellow Sand Very fine			
50'	75'	Yellow sand some silt			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/2/06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 658 This Water Well Record was completed on (mo/day/yr) 2/16/06 under the business name of Boart Longyear Company by (signature) [Signature]