		RECORD Correction		WWC-5 e in Well Use			sion of Wate arces App. N		Well ID MW9	
1 LOCATION OF WATER WELL: County: Brown Fraction NE ¼ NE ¼ SE						Section Number Township Number Range Number				
	USDA	Last Name: DEPENDENC	CE AVE. S	First: W	direction	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: 2645 WEST OF PRAIRIE RD & 1280' SOUTH OF 120TH ST				
City:	WASHIN	IGTON DC	State:	ZIP: 20250	2040 1					
3 LOCATE WELL A DEPTH OF COMPLETED WELL, 25 ft 5 Latitude, 39 6782										
SECTION BOX: N Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4						20 ft. Longitude:95.4433(decimal degrees)				
	WELL'S STATIC WATER LEVEL:						ft. Source for Latitude/Longitude:			
NW-	NW NE above land surface, measured on (mo					• • • • • • • • •	G .	(WAAS enabled? 🗌 Yes 🗌 No)		
	Pump test data: Well water was									
	Well water was									
	Estimated Vield gnm					6 Elevation:ft. Ground Level TOC				
	S Bore Hole Diameter:6 in. to									
There is a construction of the state of the sta										
1. Domestic:	omestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease									
	☐ Household 6. □ Dewatering: how many wells? □ Lawn & Garden 7. □ Aquifer Recharge: well ID					11. Test Hole: well ID				
🗌 Liveste	Livestock 8. Monitoring: well 1D						12. Geothermal: how many bores?			
2. 🗌 Irrigati 3. 🗌 Feedlo	. □ Irrigation 9. Environmental Remediation: well II . □ Feedlot □ Air Sparge □ Soil Vapor						a) Closed Loop 🔲 Horizontal 🗌 Vertical b) Open Loop 🔲 Surface Discharge 🔲 Inj. of Water			
4. 🗌 Industr] Recovery							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? □ Yes ■ No 8 TYPE OF CASING USED: □ Steel ■ PVC □ Other CASING JOINTS: □ Glued □ Clamped □ Welded ■ Threaded										
Casing diameter2. in. to										
Casing height above land surface										
□ Steel □ Stainless Steel □ Fiberglass ■ PVC □ Other (Specify)										
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot										
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From .20										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage										
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well										
□ Other (Specify)										
Direction fro	om well?		LITHOLOG		well? FRO			LITHO LOG (cont.)	ft. or PLUGGING INTERVALS	
0	13	CLAY-SILT					10	LITHO. LOG (cont.)	of PLUGGING INTERVALS	
13	14.5	GRAVEL								
14.5 20	20 26.5	CLAY-SANI	YC							
26.5	20.5		OCK FRAGMENTS					NOTE: Hole collar	osed 25.5 to 27'	
	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .412-2023 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo-day-year)										
under the b Mail	1 white copy a	ne of GEOC along with a fee of	STATES CONTRACT IN THE STATES OF STA	h constructed well to: K	ansas Depa	Sig	nature	Environment, Bureau of	Water, GWTS Section.	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										