KOLAR Document ID: 1421692

	WELL R			WWC-5		vision of Wat					
] Correction		ge in Well Use		sources App.			Well ID		
				Fraction	Section Number $\frac{1}{4}$			Township Numb		ige Number	
County: 1/4 1/4 1/4											
	OWNER: L	ast Name:		First:		reet or Rural Address where well is located (if unknown, distance and					
Business: Address:					direction from	rection from nearest town or intersection): If at owner's address, check here:					
Address:											
City:			State:	ZIP:							
3 LOCATE WELL WITH WY IN 4 DEPTH OF COMPLETED WELL:						t 5 Lotit	ndo			(1	
	WITH "A" IN Depth(a) Groundwater Encountered									-	
				3) ft., or 4) [Longitude:					
		WELL'S ST	TATIC WA	ft.			Latitude/Longitude				
				y-yr)			unit make/model:)		
NW	NE			-yr)		(WAAS enabled? \Box Yes \Box No)					
		Pump test d	hours			□ Land Survey □ Topographic Map □ Online Mapper:					
w X	E	arter	Well v								
SW	SE	after	after hours pumping								
			Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC					
	S	Bore Hole I	Bore Hole Diameter: in. to			Source: Land Survey GPS Topographic Mag Other					
	mile			in. to	ft.			Other	•••••		
7 WELL WATER TO BE USED AS:											
1. Domestic ☐ House			 5. Dublic Water Supply: well ID 6. Dewatering: how many wells? 			10. ☐ Oil Field Water Supply: lease 11. Test Hole: well ID					
			7. Aquifer Recharge: well ID				\Box Cased \Box Uncased \Box Geotechnical				
			8. Monitoring: well ID				12. Geothermal: how many bores?				
	2. □ Irrigation 9. Environmental Remediation:										
3. 🗌 Feedlot 🗌 Air Sparge											
4. 🗌 Industr	rial		Recovery	Injection		13. 🗆 0	13. 🗌 Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass PVC Other (Specify)											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft.											
Septic			on: Lateral Line	es 🗌 Pit Privy	Г	Livestock P	ens		ide Storage		
			Cess Pool	Sewage La		Fuel Storage			oned Water		
	ight Sewer Lii		Seepage Pit			Fertilizer St			ll/Gas Well		
Other ((Specify)						Ū				
Direction from well? ft.											
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:		1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
under my j	urisdiction a	nd was compl	leted on (n	no-day-year)	and	I this record	is tru	te to the best of m	y knowled	ge and belief.	
				This W							
	aomeoo nam	Send one copy to	WATER W	/ELL OWNER and retain	one for your re	cords. Fee of \$	5.00 f	or each constructed we	<u></u> 11.		
-	ment of Health a	and Environment	, Bureau of V	Water, Geology Section, 1					7. Telephone		
Visit us at h	http://www.kdhe	ks.gov/waterwel	l/index.html						KS	SA 82a-1212	