## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

|  | County Fraction WASHINGTON WW1/4SE 1/4SE |   |               | Section | number  | Township number   | Range number                    | ]        |  |
|--|--|---|---------------|---------|---|---|---------------------------------|----------|--|
| 1. Location of well:   |  |   | <u>ک</u> اراخ | 19      |   | T 4 s   | R 2 5/W                         |          |  |
| 2. Distance and direction from nearest town or city: 8.4 WEST 3. Owner of we R.R. or street: |  |   |               |         | , ,   | PRUIN MOD   | RMAN                            |          |  |
| Street address of well location if in city:  |  |   |               |         | rate, zip code: CINN, KANS 66953  |   |                                 |          |  |
| 4. Locate with "X" in section below:  N  |  |   |               |         |   |   | . Completion date               | 1        |  |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \  | <u> </u>                                 |   |               |         |   | 7 Cable tool X Rotary   |                                 | 1        |  |
| NW NE  |  |   |               |         | Hollow rod Jetted Bored Reverse rotary                                      |   |                                 |          |  |
| ₩  |  |   |               |         | 8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock |   |                                 |          |  |
|  |  |   |               |         |   | Lawn Oil field water Other  |                                 |          |  |
|  |  |   |               |         |   | 9. Casing: Material Height: Above of below Threoded Welded Isurface in.                                       |                                 |          |  |
|  |  |   |               |         |   | Threoded  |                                 |          |  |
| ı→— 1 Mile ——→ı  |  |   |               |         | I   | Dia 5 in. to 20 ft. dep<br>Dia in. to ft. dep   |                                 |          |  |
| 5. Type and color of material  |  |   |               | From    | То  | 10. Screen: Manufacturer's r  | name                            | 1        |  |
| TOPSOIL  |  |   |               | 0       | 2   | Type PUC  | <u>ク</u><br>_ Dia               |          |  |
| CLAY W/ SANDROCKS  |  |   |               | 2       | 10  | Slow gauze  | Length                          |          |  |
|  | /  |   | دی            | 1,,     | /3  | Set betweenft. c  |                                 |          |  |
| SAND   |  |   |               | 25_     | 23  | <i></i>   | nge of material                 | 1        |  |
| GRAY CLAY  |  |   |               | 53      | 5/  | 11. Static water level: po./day/yr.  11. Static water level: po./day/yr.  11. Static water level: po./day/yr. |                                 |          |  |
| HARD ROCK  |  |   |               | 51      | 52  | 12. Pumping level below land jurfaces: ft. after  |                                 |          |  |
| GRAY CLAY  |  |   |               | 52      | 57  | ft. after   | frs. pumping g.p.m.             |          |  |
| SANDROCK   |  |   |               | 51      | 61  | Estimated maximum yield —<br>13. Water sample submitted:  | g.p.m.<br>mo./day/yr.           | _        |  |
| GRAY CLAY  |  |   |               | 61      | 15  | Yes No  | Date                            |          |  |
|  |  |   | •             | 65      | 68  | Pitless adapter   | // Inches above grade           | <u> </u> |  |
| SAND ROCK  |  |   |               | 1       | 90  | 15. Well grouted?   | Bentonite Concrete              |          |  |
| CARAY CLAY   |  |   |               | 108     | 69  | Depth: From ft. to  | <i></i>                         | 74       |  |
| SANDROLK   |  |   |               | 69      | 70  | 16. Nearest saurce of possible ft. 200 Direction  | contamination:                  |          |  |
|  | GRAY                                     | CLAY                                    |               | 10      | 72  | Well disinfected upon comple  |                                 | 1        |  |
|  | SAN                                      | DROCK                                   |               | 12      | 89  | 17. Pump:  Manufacturer's name  | Not installed                   | 7/2      |  |
|  | (nRA                                     | 1 CIAY                                  |               | 84      | 90  | Model number  | HP Volts<br>ft. capacity g.p.m. | ≤(       |  |
|  | 57                                       | OP                                      |               | 90      |   | Type: Submersible   | Turbine                         |          |  |
|  | (Use a second                            | sheet if needed)                        |               |         |   | Jet<br>\ Centrifugal  | Reciprocating Other             | * /      |  |
| 18. Elevation:   | 19. Remarks:                             | ,                                       |               |         | ·   | Water well contractor's   |                                 | 1,10     |  |
| 136016   |  |   |               |         |   | This well was drilled under m<br>is true to the best of my know   | • •                             |          |  |
| Topography:  |  |   |               |         | FORD COX 4 SO   | NS INC 258  | 2 2                             |          |  |
| Hill   Slope   |  |   |               |         | Business name<br>Address  | J KANSAS  | 12/2                            |          |  |
| Upland   |  |   |               |         |   | Signed Authorized rep   | Date Date                       | 1/2      |  |
| Valley   | <u> </u>                                 | - W - W - W - W - W - W - W - W - W - W |               |         |   | Authorizad rep  | resognative /                   | 1 ₹.1 ₩  |  |