

1

LOCATION OF WATER WELL:

County: Doniphan

Distance and direction from nearest town or city street address of well if located within city?
7 miles Southeast of Bendena

2

WATER WELL OWNER:

RR#, St. Address, Box #
City, State, ZIP Code

Leo Berry
Rt 1 Box 14
Bendena, KS 66008

3

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

Diagram of a 36-section grid with 'X' in the NW section of the top-left 4-section block.

1 Mile

DEPTH OF COMPLETED WELL: 40 ft.

ELEVATION: 1040 ft.

Depth(s) Groundwater Encountered 1. 32 ft. 2. 32 ft. 3. 5 ft.

WELL'S STATIC WATER LEVEL 31 ft. below land surface measured on mo/day/yr 12-31-89

Pump test data: Well water was 32 ft. after 2 hours pumping 5 gpm

Est. Yield 1/2 gpm Well water was 32 ft. after 2 hours pumping 5 gpm

Bore Hole Diameter 5 1/2 in. to 20 ft., and 4 1/2 in. to 40 ft.

WELL WATER TO BE USED AS:
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes OK No

5

TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)
3 Fiberglass

Blank casing diameter 36 in. to 40 ft., Dia 32 in. to 3 ft., Dia 3 in. to 3 ft.

Casing height above land surface 24 in., weight 320 lbs./ft. Wall thickness 3 in.

TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

6

GROUT MATERIAL:

1 Neat cement 2 Cement grout 3 Bentonite 4 Other

GROUT INTERVALS: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage

Direction from well? NW How many feet? 250

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 32 BROWN WIND BLOWN VERY HARD YELLOW CLAY WITH SOME BOULDERS - FOOT BALL SIZE

32 38 YELLOW CLAY - MIXED WITH YELLOW SAND PRODUCES SOME WATER

38 40 HARD BLUE SHALE

40 LINGSTONE BEDROCK

7

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:

This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-31-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 320 This Water Well Record was completed on (mo/day/yr) 2-1-90 under the business name of POPPLEWELL WELL BORING by (signature) Jerry Popplewell

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.

41 9746 2-5-9