


1 LOCATION OF WATER WELL: County: Washington	Fraction NE ¼ NW ¼ SE ¼	Section Number 28	Township Number T 4 S	Range Number R 3 (E/W)
--	-----------------------------------	-----------------------------	---------------------------------	----------------------------------

Distance and direction from nearest town or city street address of well if located within city?

¼ Southwest of Linn

2 WATER WELL OWNER: Oren Holle RR#, St. Address, Box # : 1535 7th Rd City, State, ZIP Code : Linn, KS 66953	Board of Agriculture, Division of Water Resources Application Number:
--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 60 ft. ELEVATION:
--	--



Depth(s) Groundwater Encountered **17** ft. 1 ft. 2 ft. 3 **7/1/03** ft.

WELL'S STATIC WATER LEVEL **17** ft. below land surface measured on mo/day/yr **7/1/03**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **30-40** gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)	9 Dewatering	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No *****; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes ***** No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued * Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 40 ft., Dia in. to	ft., Dia in. to
Casing height above land surface 18 in., weight 200 lbs./ft.	Wall thickness or gauge No. .265
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS
7 PVC	10 Asbestos-Cement	11 Other (Specify)	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
7 Torch cut	11 None (open hole)	10 Other (specify)	ft.
SCREEN-PERFORATED INTERVALS: From 40 ft. to 60 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 25 ft. to 60 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS: From 5 ft. to 25 ft., From ft. to ft.
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
13 Insecticide storage
Direction from well? SW	How many feet? 30			

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	23	Brown Clay			
23	36	Sandstone Layers			
36	46	Gray Clay			
46	56	Sandstone			
56	62	Gray Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/1/03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 518 . This Water Well Record was completed on (mo/day/yr) 7/20/03 under the business name of Blue Valley Drilling by (signature) <i>Eric Stender</i>
--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.