

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Washington</u>	<u>SW</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$	<u>34</u>	<u>T</u> <u>4</u> <u>S</u>	<u>R</u> <u>4</u> (<u>EW</u>)

Distance and direction from nearest town or city street address of well if located within city?

1 South, 2 East, 4 South & $\frac{1}{4}$ East of Greenleaf

2 WATER WELL OWNER: <u>Michael Weiche</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>1350 Upland Rd.</u>	Application Number:
City, State, ZIP Code: <u>Greenleaf, KS. 66943</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>101</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>54</u> ft. below land surface measured on mo/day/yr <u>5/1/01</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>100</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>9</u> in. to <u>102</u> in. to in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well <u>1 Domestic</u> 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No. <u>*</u> ; If yes, mo/day/yr sample was submitted

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>*</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter <u>5</u> in. to <u>81</u> ft., Dia	8 RMP (SR)	9 ABS	11 Other (specify)
Casing height above land surface <u>18</u> in., weight <u>200</u> lbs./ft. Wall thickness or gauge No. <u>265</u>	6 Concrete tile	12 None used (open hole)	
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Steel	6 Wire wrapped	9 Drilled holes	
2 Brass	7 Torch cut	10 Other (specify)	
3 Stainless steel			
4 Galvanized steel			
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot			
2 Louvered shutter			
3 Mill slot			
4 Key punched			
SCREEN-PERFORATED INTERVALS: From <u>81</u> ft. to <u>101</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From <u>30</u> ft. to <u>101</u> ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other
Grout Intervals: From <u>5</u> ft. to <u>30</u> ft., From ft. to ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	11 Fuel storage	15 Oil well/Gas well		
2 Sewer lines	12 Fertilizer storage	16 Other (specify below)		
3 Watertight sewer lines	13 Insecticide storage			
4 Lateral lines				
5 Cess pool				
6 Seepage pit				
7 Pit privy				
8 Sewage lagoon				
9 Feedyard				
Direction from well? <u>North</u>	How many feet? <u>15</u>			

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Brown Clay			
5	7	Red Clay			
7	14	Tan Clay			
14	26	Limestone & Shale			
26	29	Limestone Layers			
29	45	Gray Shale			
45	50	Limestone & Shale			
50	69	Red Shale			
69	83	Limestone & Shale			
83	102	Gray Shale & Limestone			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5/1/01</u> and this record is true to the best of my knowledge and belief. Kansas Water Contractor's License No. <u>518</u> This Water Well Record was completed on (mo/day/yr) <u>5/1/01</u> under the business name of <u>Blue Valley Drilling</u> by (signature) <u>Eric Stark</u>
