WATER WELL RECORD			Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: Washington		Fraction NE 1/4 NE 1/4 NE	. ¼ NE ½	1	ion Number 09	Township No. T 04 S	Range Number R 04		
Street/Rural Address of Well Location; if unknown, distance & direction						al Positioning	System (GPS) in	nformation:	
from nearest town or intersection: If at owner's address, check here .						Latitude:39.72561(in decimal degrees)			
Mai	Main & 5th Street					Longitude: 96.97534 (in decimal degrees)			
Greenleaf, KS					Elev Datu	Elevation: 1412.99 Datum: ✓ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Farmers Cooperative Eleavator As					Colle	ection Method:			
RR#, Street Address, Box #: PO Box 303						GPS unit (Make/Model:)			
City, State, ZIP Code : Greenle			eaf. KS 66943			☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL 50.00									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 50.00 ft.									
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).42.08 ft. (2)								
	WELL'S STATIC WATER LEVEL42.08ft. below land surface measured on mo/day/yr6-Q8-2.01.6								
Pump test data: Well water wasft. after hours pumping gpm									
NW NE EST. YIELDgpm. Well water wasft. after hours pumping									
W Bore Hole Diameter 8.50 in. to .50.00 ft., and in. to									
WELL WATER TO BE USED AS:									
SW SE									
	Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .2.38 in. to .50 ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface0.41 in., Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
				1	ft. to	ft.,	From	. ft. toft.	
What is the nearest source of possible contamination:									
Septic tank							er (specify below)		
Sewer lines Cesspool			Sewage lagoon Fuel storage						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well									
Direction from well									
FROM	ТО	LITHOLOG	····	FROM	TO	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0	16	Clay, silty, light brown (111100			
16	42	Silt, clayey, light brown	MC			MW36			
42	50	Sand, silty, gray brown							
	T							,	
		, , , , , , , , , , , , , , , , , , , 						the state of the s	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .5-26-2016 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594. This Water Well Record was completed on mode by the contractor of the co									
under the business name of Coranco Great Plains, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to									
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									