LOCATION OF WACCOUNTY: Mars			I Cantina	Alternation Tax	unahin Number	. –
Distance and direction			J 1/4 Section	' '	wnship Number S	Range Number R 7 E/V
9	on from nearest town or city stree	t address of well if located for Blue Ro	4 '	-	•	
WATER WELL O	11					
RR#, St. Address, B		AC 10		В	loard of Agriculture. [Division of Water Resources
City, State, ZIP Code	/3al: /	sids. Ks 6	6411		pplication Number:	
	LOCATION WITH 4 DEPTH OF	COMPLETED WELL. 5	8 ft	. ELEVATION: .		
. 		undwater Encountered 1.				
1 1	1	TIC WATER LEVEL .4.	•			
NW	Est. Yield .	ump test data: Well water	was	ft. after	hours pu	mping gpm
		ameter 7 in. to .	_			to
ξ ''	1 1 /		Public water sup		•	njection well
sw	SE - Domes				-	Other (Specify below)
	2 Irrigation		-	•	- V	
	Was a chemic	al/bacteriological sample su	ibmitted to Depart		•	
	§ mitted			Water Well I	Disinfected? Yes 🔏	No No
TYPE OF BLANK	CASING USED:	5 Wrought iron	8 Concrete ti	le CA	SING JOINTS: Glued	. 🤼 Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (spec	cify below)	Welde	ed
2 PVC	4 ABS	7 Fiberglass			Threa	ded
	er				ia i	n. to ft.
Dasing height above	land surface	in., weight 2.0.0	🗻	lbs./ft. Wall th	nickness or gauge No)
TYPE OF SCREEN (OR PERFORATION MATERIAL:		◯ PVC		10 Asbestos-ceme	nt
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (S	SR)	11 Other (specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	_	12 None used (op	en hole)
SCREEN OR PERFO	DRATION OPENINGS ARE:	5 Gauzeo	d wrapped	8 Saw	cut	11 None (open hole)
1 Continuous s	lot 3 Mill slot	6 Wire w	rapped	9 Drille	ed holes	
2 Louvered shu	itter 4 Key punched	7 Torch o	out	10 Othe	er (specify)	
SCREEN-PERFORAT	TED INTERVALS: From	3.8 ft. to	58	.ft., From	ft. to	o
	From					
GRAVEL PA	ACK INTERVALS: From \$	≱. ○ ft. to	58	.ft., From	ft. to)
GRAVEL P	ACK INTERVALS: From From		58			o
	From	ft. to		ft., From	ft. to	ft.
GROUT MATERIA	From AL: 1 Neat cement	ft. to	3 Bentonite	ft., From 4 Other	ft. to	o ft.
GROUT MATERIA Grout Intervals: Fro	From AL: 1 Neat cement om	ft. to 2 Cement grout 1 ft., From	3)Bentonite	ft., From 4 Other ft.,	ft. to	
GROUT MATERIA Grout Intervals: Fro What is the nearest s	From AL: 1 Neat cement om. ft. to 20 source of possible contamination:	2 Cement grout tt., From	3Bentonite	ft., From 4 Other ft., 10 Livestock pens	ft. to	
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank	From AL: 1 Neat cement om. ft. to 20 source of possible contamination: 4 Lateral lines	ft. to 2 Cement grout 7 Pit privy	3Bentonite	4 Other ft., 10 Livestock pens 11 Fuel storage	From	ft. toft. oandoned water well I well/Gas well
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	From AL: 1 Neat cement om ft. to Ft	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoo	Bentonite ft. to	ft., From 4 Other ft., 10 Livestock pens 11 Fuel storage 12 Fertilizer storage	From	
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se	From AL: 1 Neat cement om ft. to Zo source of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to 2 Cement grout 7 Pit privy	Bentonite ft. to	ft., From 4 Other ft., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto	From	ft. toft. oandoned water well
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well?	From AL: 1 Neat cement om ft. to Z.c. source of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	From AL: 1 Neat cement om	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other ft., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto	From	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 38	From AL: 1 Neat cement om. C. ft. to Z.C. source of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGIA	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 38 38 47	From AL: 1 Neat cement om. C. ft. to Z.C. source of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGI Mcd Sand	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 38 38 47 47 51	From AL: 1 Neat cement om. C. ft. to Z.C. source of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGI Brown Clar (Mcd) Sand Yellow Shal	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 38 38 47 47 51	From AL: 1 Neat cement om. C. ft. to Z.C. source of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGI Brown Clar (Mcd) Sand Yellow Shal	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to ft. andoned water well well/Gas well her (specify below)
GROUT MATERIA Grout Intervals: From the nearest of the second of the sec	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to ft. andoned water well well/Gas well her (specify below)
GROUT MATERIA Grout Intervals: From the nearest state of the service of the servi	From AL: 1 Neat cement om. C ft. to Z cource of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOGY Med Sand Yellow Shale	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard	Bentonite ft. to	ft., From 4 Other 5 tt., 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet?	ft. to From	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 38 38 47 41 51 51 60 60 62	From AL: 1 Neat cement om. C. ft. to Z.C. source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 6 Seepage pit 8 Courth LITHOLOG (Med) Sand 7 Ellow Shale 6 Seepage pit 7 Ellow Shale 6 Seepage pit 8 Courth 1 Courth	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bentonite ft. to	ft., From 4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet? FO	ft. to From	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 38 38 47 47 51 51 60 60 62 CONTRACTOR'S	From AL: 1 Neat cement om. C. ft. to Z.C. source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 6 Seepage pit 6 Contamination: 6 Contamination: 6 Seepage pit 6 Contamination: 7 Contamination: 8 Contamination: 9 Contamination	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bentonite ft. to FROM 1	ft., From 4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet? TO (2) reconstructed	ft. to From	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 38 38 47 47 51 51 60 60 62 CONTRACTOR'S completed on (mo/day)	From AL: 1 Neat cement om. C. It. to Z. Source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: 4 Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of possible contamination: A Lateral lines 5 Cess pool of the source of the sour	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard IC LOG Y ATION: This water well was	Bentoniteft. to FROM 1 FROM 1 Constructed, and	ft., From 4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet? TO (2) reconstructed this record is true	ft. to From	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 38 38 47 47 51 51 60 60 62 CONTRACTOR'S	From AL: 1 Neat cement om. C. ft. to Z.C. source of possible contamination: 4 Lateral lines 5 Cess pool of Seepage pit South LITHOLOG Brown Cla (Mcd) Sand Yellow Shole Red Shale Cypsum OR LANDOWNER'S CERTIFICA (y/year) May	ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard IC LOG Y ATION: This water well was	Bentonite ft. to FROM FROM 1 Constructed, and li Record was continued.	ft., From 4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer stora 13 Insecticide sto How many feet? TO (2) reconstructed	ft. to From	ft. to ft. ft. to ft. ft. to ft. pandoned water well well/Gas well her (specify below) TERVALS er my jurisdiction and was