WATER WELL RECORD	Form WWC-5	Division of Water		o. L	
1 LOCATION OF WATER WELL: County: MARSHALL	Fraction NW4NE14NE14 14	Section Number 26	Township No. T 4 S	Range Number R 8	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:					
from nearest town or intersection: If a	Latitude: (in decimal degrees)				
1775 HWY 9 FRANKFURT, KS		Longitude: (in decimal degrees)			
Elevation:					
2 WATER WELL OWNER: LLOYD L. PARTHEMER		Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 3929 BONITA VIEW DRIVE GPS unit (Make/Model:)					
		oto, 🔲 Topographi	c Map, Land Survey		
City, State, ZIP Code : RONITA, CA 9/90Z-Z617 Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: <3 m, 3-5 m, 5-15 m					
3 LOCATE WELL	COMPLETED WELL (3)	Δ.			
WITH AN "X" IN 4 DEPTH OF SECTION BOX: Depth(s) Ground	COMPLETED WELL/O.O.	II.	A (2) A	
N Deputity STAT	Depth(s) Groundwater Encountered (1)				
	Pump test data: Well water wasft. after hours pumpinggpm				
POT VIET D	EST. YIELD. 3				
w NW NE EST. YIELD.	Bore Hole Diameter				
WELL WATE	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well				
Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
Water wen disinfected: [2] Tes [1] No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: X Glued Clamped Welded Threaded					
Casing diameter					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Other (Specify)					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter					
From					
GRAVEL PACK INTERVALS: From 25 ft. to 200 ft., From ft. to ft.					
From					
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
Septic tank					
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
Direction from well SQUEY.		from well		•••••	
FROM TO LITHOLO			G (cont.) or PLU	GGING INTERVALS	
	AY 74		YSUAJE		
7 10 LIMESTONE	& SUALE 81	81 GRA	K SKALL	ζ	
10 77 TAN SHALL		100 GRAY	SHALF		
22 27 LIMESTONE					
	(UARD)				
30 39 GRAY SHALL					
39 44 LIMESTONE					
44 67 CRAY SHAL	<u> </u>				
62 67 PED SHAL	£				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged					
under my jurisdiction and was completed on (mo/day/year) 7.1.25.1.1.2.2.2.2.2.2.2.2.2.2.3.3.2.2.3.3.2.3.3.2.3.3.2.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3					
Kansas Water Well Contractor's License No					
under the business name of BLUE VACUEV BULLING TIME by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html					
http://www.kdheks.gov/waterwell/index.html.	TER WEEL OWNER and rounn one for y	701 1000100: Illoidad <u>100</u>	of \$5.00 for each co	onstructed wen. Visit us at	