	m WWC-5		ion of Water		MW11		
	ange in Well Use		rces App. No.		Well ID		
1 LOCATION OF WATER WELL: County: Washington	Fraction SW1/4 SE1/4 SW1/4		ion Number 35	Township Number	er Range Number R 1 ■ E □ W		
2 WELL OWNER: Last Name: Kramer First: Chad Street or Rural Address where well is located (if unknown, distance and							
Business: Kramer Oil Co., Inc.  Address: PO Box 343  direction from nearest town or intersection): If at owner's address, check here:							
Address: 176 E Parallel St							
2 LOCATE WELL					2		
WITH "X" IN  4 DEPTH OF COMPLETED WELL:							
SECTION BOX: 2) ft	2) ft. 3) ft., or 4) $\square$ Dry Well				Horizontal Datum: ☐ WGS 84 ■ NAD 83 ☐ NAD 27		
	WELL'S STATIC WATER LEVEL:						
	above land surface, measured on (mo-day-yr)			☐ GPS (unit make/model:			
Pump test data: W	Pump test data: Well water was			■ Land Survey □ Topographic Map			
	Well water was ft.			Online Mapper:			
SW   SE   after	after hours pumping gpm				☐ Ground Level ■ TOC		
					GPS Topographic Map		
1 mile  Dote Hote Diameter:							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID							
	Water Supply: well ID tering: how many wells?			eld Water Supply: le e: well ID			
	7. Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical			
	8. ■ Monitoring: well ID						
1 = •	J Air Sparge ☐ Soil Vapor Extraction ☐ Open Loop ☐ Surface Discharge ☐ Inj. of Wat						
4. Industrial Reco							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected? ☐ Yes ■ No  8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
SCREEN-PERFORATED INTERVALS: From .10							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other  Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify)							
	Distance from w LOGIC LOG	FROM	TO LI	ft. THO, LOG (cont.) or	PLUGGING INTERVALS		
0 1 Topsoil, silty clay		- 110111					
1 20 Silty clay							
Notes: Clifton Cardlock U5-101-15172							
Clifton, KS 66937							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 1/28/21							
under the business name of Associated Environmental, Inc. Signature							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Burgay of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.  Visit us at http://www.kdheks.gov/waterwell/index.html  KSA 82a-1212  Revised 7/10/2015							

