			WATE	R WELL RECOP	D Form	WWC-5	KSA 82a	-1212		
LOCATIO	N OF WAT	ER WELL:	Fraction			Secti	on Number	Township	Number	Range Number
County: M	ARSHALL		SE 1/4	NE 1/4	SE		14	T 5	S	R 10 (E)W
Distance and	d direction t	from nearest tow	n or city street a	ddress of well if	located with	in city?				
	2 miles	east of L	illis, KS							
WATER	WELL OW	NER: POTTA	AWATOMIE CO	). RWD #3	Dril.	led 9/:	25/96			
RR#, St. Ac	ddress, Box	# :			MIDDLE	E WELL	#3	Board of	Agriculture,	Division of Water Resources
City, State, 2			awatomie Co						on Number:	
LOCATE	WELL'S LC	CATION WITH	DEPTH OF C	OMPLETED WE	LL167.		ft. ELEVA	TION:		
- AN "X" IN	N SECTION N	4	Depth(s) Ground	water Encounter	ed 1		ft. 2	<u>.</u>	ft. 3	3
7	i i	1	WELL'S STATIC	WATER LEVEL	97'-6	ft. bel	ow land sur	face measured	on mo/day/yr	10-01-96
I I			Pump	test data: We	l water was	. 121	!-3.". ft. af	ter 6	hours pu	ımping 156 gpm
	- NW	NE								umping 156 gpm
	¦									n. toft.
* w	1	- E	WELL WATER T	O BE USED AS	: 5 Pu	blic water	supply	8 Air conditioni	ng 11	Injection well
-		1 7	1 Domestic	3 Feedlot	6 Oil	field wate	r supply	9 Dewatering	12	Other (Specify below)
	- SW	SE -X	2 Irrigation	4 Industria						
	1 1		Was a chemical/b	oacteriological sa		-	-			s, mo/day/yr sample was sub
ī _			mitted	J	,	•		ter Well Disinfed		
5 TYPE OF	BLANK C	ASING USED:		5 Wrought iron		8 Concret	e tile	CASING J	OINTS: Glue	ed Clamped
1 Stee		3 RMP (SF	3)	6 Asbestos-Ce	ment	9 Other (s	pecify below			ded . X
2 PVC	<del></del>	4 ABS	,	7 Fiberglass					Thre	aded
Blank casino	diameter	12"	in to 0-12	24. ft Dia		in. to .	162-16	7ft Dia		in. to ft.
Casing heigi	ht above la	nd surface		.in weight	49.56		lbs./	ft. Wall thicknes	s or gauge N	No <b>.</b> .375
			N MATERIAL: JO			7 PVC			sbestos-cem	
1 Stee		3 Stainless		5 Fiberglass		8 RMF	(SR)			) <i></i>
2 Bras		4 Galvanize	<del></del>	6 Concrete tile		9 ABS	` ,		lone used (or	•
		ATION OPENING			Gauzed wr	apped		8 Saw cut	, ,	11 None (open hole)
	itinuous slot		II slot		Wire wrapp			9 Drilled hole	S	,
	vered shutte		ey punched		Torch cut					
		D INTERVALS:				2.		, ,	• .	toft.
CONCENT		.D INVIENTANCO.								toft.
GF	RAVEL PAG	CK INTERVALS:								toft.
u,	TAVEL I A	on mercines.	From							
6 GROUT	MATERIAL	1 Neat c		2 Cement grout		3 Benton				
_				•						ft. to
		urce of possible		, , , , , , , , , , , , , , , , , , , ,						Abandoned water well
		•		7 Pit pri	vv					Oil well/Gas well
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool				<ul><li>7 Pit privy</li><li>8 Sewage lagoon</li></ul>			12 Fertilizer storage 16 Other (specify below)			
		er lines 6 Seepa	•	9 Feedy				ticide storage		
Direction fro			hin 1/4 mi	•	u. <b>u</b>		How mai	•		
FROM	TO	NOTIC WILL	LITHOLOGIC		1	ROM	TO		PLUGGING	INTERVALS
0	2	Top Soil								
2	8	Brown Cla	T 7							
8	30	Tan Clay	<b></b>			I				
30	65	-	Fine Sand	. Boulders	1					
65	101		n Clay							
101	159		Sand, Sil							
159	164	-	Sallu, SII		)		l l			
164	171	Vor Fin	Blue Sand							
I .	173	Large Lim	estone Gra	vel						
	179		escone gra							
	<u> </u>	DIG CTAY								
		4.17 %			<del>-</del>					
7 00:	AOTORIO I	D LANDOWNE	NO OFFICIOAT	IONI, This		\ 00==±		notructed == 10	)\ pluggg=	ndor my juriodiation and
/ CONTRA	ACTOR'S C	DH LANDOWNER 10-0	13 CEMPIFICATI							nder my jurisdiction and was
completed c	on (mo/day/	year) 10-0	182							nowledge and belief. Kansas
vvater Well	Contractor's	S LICENSE NO STRADE	ER DRILLING	······································	ater Well H	ecora was	completed	on (mo/gay/yr) ture)	00 1	1 hs
	usiness nar	ne or CTIVIDE		JU., 1110.			by (signa	LUTE /	KUK	16:202
· · · ·	T. C. L		DI CAOS BOSOS	TOMEN POINT .	nelu Disessi m	in blant-	adorlina as at a t	the second	o Conditor II.	e copies to Kansas Department