

		RECORD	-	WWC-5 1082			ion of Wate						
Original Record Correction Chang <b>1 LOCATION OF WATER WELL:</b>						Resources App. No. Section Number Township Nur			ber Range Number				
County		1/4 1/4 1/4		-			R R	$\Box E \Box W$					
2 WELL		Last Name:				Rural	l Address	whe	re well is located (i				
Business:						ion from nearest town or intersection): If at owner's address, check here:							
Address: Address:													
City:			State:	ZIP:									
,	3 LOCATE WELL												
WITH "	X" IN												
	N BOX:		Depth(s) Groundwater Encountered: 1) ft. 2) ft. 3) ft., or 4) $\Box$ Dry Well						Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27				
r	1			TER LEVEL:		t. Source for Latitude/Longitude:							
		□ below la				GPS (unit make/model:)							
NW	NE			measured on (mo-day-			(WAAS enabled? 🗌 Yes 🔲 No)						
	E			vater was f	umping gpm er was ft. umping gpm			Land Survey					
		uitoi		vater was f									
SW	SE												
	~	Estimated Y					6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map						
			in. to ft. and ft.										
1	1	O BE USED A			11.								
1. Domestic:				ter Supply: well ID			10. 🗖 Oi	il Fie	ld Water Supply: lea	se			
House House						11. Test Hole: we			well ID				
Lawn d				echarge: well ID									
☐ Livesto				g: well ID					al: how many bores?				
3. ☐ Feedlo	□ Irrigation 9. Environmental Remediation: well I □ Feedlot □ Air Sparge □ Soil Vapor												
4. 🔲 Industr			Recovery						specify):				
Was a che	mical/bact	eriological san	ple subm	itted to KDHE?	Yes 🗆 N	lo I	If yes, date	e san	nple was submitted	:			
Water well				_	_		5		1				
8 TYPE C	F CASIN	G USED: 🗆 S	teel 🗌 PV	C 🗌 Other	CA	SINC	G JOINTS	S: 🗆	Glued Clamped	U Welde	1 🗌 Threaded		
				Diameter									
				. Weight	lbs./	ft.	Wall thick	kness	or gauge No				
$\square$ Steel		OR PERFORAT ainless Steel	ION MA					hor (S	Specify)				
		lvanized Steel		<b>D</b>	sed (open)	hole)			specify)	• • • • • • • • • • • • • • • •			
	□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:												
	nuous Slot	☐ Mill Slot							Other (Specify)				
							ne (Open H	,		<b>6</b>	c		
SCREEN-PERFORATED INTERVALS: From													
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. From ft. to ft. of the result of t													
Grout Intervals: From													
		ble contaminati	on:				,						
□ Septic			Lateral Line				ivestock Pe						
Sewer	Lines ight Sewer I		Cess Pool Seepage Pit	☐ Sewage La ☐ Feedyard	goon		uel Storage ertilizer Sto		☐ Abandon ☐ Oil Well		Well		
			eepage Fit				ertilizer Su	Jage		Gas wen			
				Distance from we					ft.				
10 FROM	TO	L	ITHOLOG	GIC LOG	FROM	1	TO	LIT	HO. LOG (cont.) or H	PLUGGIN	G INTERVALS		
					1								
					Notes:								
	<b>11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Wa	ter Well Co	ontractor's Lice	ense No.	This Wa	ter Well	Recor	rd was con	no u u mple	ted on (mo-dav-ve	ar)			
under the b	usiness nar	ne of											
	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
-		heks.gov/waterwel		, a.c., Geology Stelloll, 10	JUD D IT JACK	SOI BL	., 5uite 420,	, rope	, ixiiisas 00012-1307.		SA 82a-1212		

Form	WWC5
Contractor	Drill-Well, LLC
Well Owner	Kenneth Babcock
Doc ID	1082206

## Litholgy

From	То	LithologicLog
0	5	no sample
5	15	silty clay brown
15	25	silty clay light brown & light gray
25	29	silty clay grayish brown
29	81	silty clay gray
81	88	sand & gravel
88	97	silty clay gray
97	98	sand F
98	105	silty clay gray
105	112	white chert, some sand & gravel
112	126	silty clay gray
126	129	sand & gravel VC
129	137	sand & gravel VC w/some clay layers
137	148	silty clay gray
148	163	sand F-C
163		limestone