

1 LOCATION OF WATER WELL  
 County: JACKSON Fraction: NW 1/4 NW 1/4 NW 1/4 Section Number: 16 Township Number: T 5 S Range Number: R 15 E

Distance and direction from nearest town or city? 1 W 3/4 N Street address of well if located within city?  
Off NETAWAKA

2 WATER WELL OWNER: Mrs Wayne Jones  
 RR#, St. Address, Box #: RT. 1 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: NETAWAKA, Ks. 66516 Application Number:


3 DEPTH OF COMPLETED WELL: 228 ft. Bore Hole Diameter: 12 in. to . . . . . ft. and . . . . . in. to . . . . . ft.  
 Well Water to be used as:  
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well  
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 7 Lawn and garden only 10 Observation well  
 Well's static water level: 150 ft. below land surface measured on Dec. month 22 day 1980 year  
 Pump Test Data: Well water was . . . . . ft. after . . . . . hours pumping. . . . . gpm  
 Est. Yield 50 gpm: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm

4 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued . . . . . Clamped . . . . .  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . . . . .  
 7 Fiberglass . . . . . Threaded . . . . .  
 Blank casing dia: 5 in. to 0-216 ft., Dia: 5 in. to 226-228 ft., Dia: . . . . . in. to . . . . . ft.  
 Casing height above land surface: 29 in., weight: 286 lbs./ft. Wall thickness or gauge No: 258

TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) . . . . .  
 9 ABS 12 None used (open hole)  
 Screen or Perforation Openings Are:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) . . . . .  
 Screen-Perforation Dia: 5 in. to . . . . . ft., Dia: . . . . . in. to . . . . . ft.  
 Screen-Perforated Intervals: From: 216 ft. to 226 ft. From: . . . . . ft. to . . . . . ft.  
 From: . . . . . ft. to . . . . . ft. From: . . . . . ft. to . . . . . ft.  
 Gravel Pack Intervals: From: 10 ft. to 228 ft. From: . . . . . ft. to . . . . . ft.  
 From: . . . . . ft. to . . . . . ft. From: . . . . . ft. to . . . . . ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other . . . . .  
 Grouted Intervals: From: 0 ft. to 10 ft. From: . . . . . ft. to . . . . . ft. From: . . . . . ft. to . . . . . ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 14 Abandoned water well  
 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 15 Oil well/Gas well  
 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines 16 Other (specify below)  
 Direction from well: E How many feet: 225 ? Water Well Disinfected? Yes  No   
 Was a chemical/bacteriological sample submitted to Department? Yes  No  If yes, date sample  
 was submitted . . . . . month . . . . . day . . . . . year: Pump Installed? Yes  No   
 If Yes: Pump Manufacturer's name: JACUZZI Model No: 754B HP: 3/4 Volts: 230  
 Depth of Pump Intake: 180 ft. Pumps Capacity rated at . . . . . gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was  
 completed on December month 22 day 1980 year  
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182  
 This Water Well Record was completed on January month 5 day 1981 year under the business  
 name of Strader Dr Lg Co Inc by (signature) Dale Ashren

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	TOP SOIL			
3	150	CLAY, BROWN, BLUE			
150	216	FINE SAND, BLUE			
216	226	CHERT GRAVEL 1/4 x 1/8			
226	228	SHALE, GREY			

  
 ELEVATION: 1155 ft.

Depth(s) Groundwater Encountered 1. 150 ft. 2. . . . . ft. 3. . . . . ft. 4. . . . . ft. (Use a second sheet if needed)  
 INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and

8 circleville Q

get revised map

1 LOCATION OF WATER WELL  
 County: JACKSON Fraction NW 1/4 NW 1/4 NW 1/4 Section Number 16 Township Number T 5 S Range Number R 15 E

Distance and direction from nearest town or city? 1 W 3/4 N Street address of well if located within city? 0th NETAWAKA


2 WATER WELL OWNER: Mrs Wayne Jones Board of Agriculture, Division of Water Resources  
 RR#, St. Address, Box #: RT. 1 Application Number:  
 City, State, ZIP Code: NETAWAKA, Ks. 66516

3 DEPTH OF COMPLETED WELL: 228 ft. Bore Hole Diameter: 1.2 in. to . . . . . ft., and . . . . . in. to . . . . . ft.  
 Well Water to be used as:  
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well  
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 7 Lawn and garden only 10 Observation well  
 Well's static water level: 150 ft. below land surface measured on Dec. month 27 day 1980 year  
 Pump Test Data: Well water was . . . . . ft. after . . . . . hours pumping. . . . . gpm  
 Est. Yield 50 gpm: Well water was . . . . . ft. after . . . . . hours pumping. . . . . gpm

4 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued . . . . . Clamped . . . . .  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . . . . .  
 7 Fiberglass Threaded . . . . .  
 Blank casing dia: 5 in. to 0-216 ft. Dia: 5 in. to 226-228 ft. Dia: . . . . . in. to . . . . . ft.  
 Casing height above land surface: 27 in. weight: 28.6 lbs./ft. Wall thickness or gauge No. 25B  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) . . . . .  
 9 ABS 12 None used (open hole)  
 Screen or Perforation Openings Are:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) . . . . .  
 Screen-Perforation Dia: 5 in. to . . . . . ft. Dia: . . . . . in. to . . . . . ft. Dia: . . . . . in. to . . . . . ft.  
 Screen-Perforated Intervals: From 216 ft. to 226 ft. From . . . . . ft. to . . . . . ft.  
 From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft.  
 Gravel Pack Intervals: From 10 ft. to 228 ft. From . . . . . ft. to . . . . . ft.  
 From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft.

5 GROUT MATERIAL:  
 1 Neat cement 2 Cement grout 3 Bentonite 4 Other . . . . .  
 Grouted Intervals: From 0 ft. to 10 ft. From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well  
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well  
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)  
 13 Watertight sewer lines  
 Direction from well: E How many feet: 225 ? Water Well Disinfected? Yes  No   
 Was a chemical/bacteriological sample submitted to Department? Yes  No  If yes, date sample  
 was submitted . . . . . month . . . . . day . . . . . year: Pump Installed? Yes  No   
 If Yes: Pump Manufacturer's name: JACUZZI Model No. 754B HP 3/4 Volts 230  
 Depth of Pump Intake: 180 ft. Pumps Capacity rated at . . . . . gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was  
 completed on December month 22 day 1980 year  
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182  
 This Water Well Record was completed on JANUARY month 5 day 1981 year under the business  
 name of Strader Dr Lg Co Inc by (signature) Dale Ashen

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	TOP SOIL			
3	150	Clay, brown, blue			
150	216	FINE SAND, blue			
216	226	CHERT GRAVEL 1/4 x 1/8			
226	228	SHALE, grey			

  
 ELEVATION: 1025  
 Depth(s) Groundwater Encountered 1. 150 ft. 2. . . . . ft. 3. . . . . ft. 4. . . . . ft. (Use a second sheet if needed)