Wh:	ting		WATER	WELL RECORD	Form WWC-	5 KSA 82a	1212				
OCATION OF	F WATER		Fraction	LL IILOURD		ection Number	Township No	umber	Ra	ange Nun	nber
nty: $A$	$^{r}Ch$	150 N		1/4	1/4	14	⊺ 5	S	R	11	<u>E</u> /W
_				dress of well if locate							
<del></del>		57.		SOUTH	0 +	HONT	ON				
			K GASK	'e //							
, St. Addres	ss, Box #	: RR1	1		11 11	120	Board of A	griculture, I	Division (	of Water	Resourc
State, ZIP	Code	: Hor	TON, K	ANSAS	664	27	Application				
OCATE WEI	LL'S LOCA	ATION WITH	4 DEPTH OF CO	MPLETED WELL	/00	ft. ELEVA					
N "X" IN SE	CHON B	UX:		ater Encountered							
!		1	WELL'S STATIC \	WATER LEVEL	ft.	below land sur	ace measured on	mo/day/yr		3.1.	82
	v	.Jr.	Pump,	test data: Well wat	er was	ft. af	ter	hours pu	mping .		gpr
	,	Nc	Est. Yield	. gpm: Well wat	er was	ft. af	ter	hours pu	mping .		gpr
<u>i</u>			Bore Hole Diamet	er <b>/.O</b> in. to			and8.12	in	. to	100	
w		1	WELL WATER TO	BE USED AS:	5 Public wa	ter supply	8 Air conditioning	11	Injection	well	
1	,	:	1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12	Other (S	pecify be	iow)
2W	Y	· 3t	2 Irrigation	4 Industrial	7 Lawn and	garden only 1	0 Observation we	راا			
	İ	i	Was a chemical/ba	4 Industrial acteriological sample	submitted to [	Department? Ye	sNo	; If yes,	, mo/day/	yr sampl	e was su
	S		mitted				er Well Disinfecte			No	
TYPE OF BL	ANK CAS	ING USED:		5 Wrought iron	8 Cond	rete tile	CASING JOI	NTS: Glue	d . 📈	. Clampe	d
1 Steel		3 RMP (S		6 Asbestos-Cement	9 Othe	r (specify below					
2 PVC		4 ABS	•	7 Fiberglass			•	Threa	aded		
	meter	<b>6</b>		ft., Dia					in. to		f
				n., weight							
			N MATERIAL:	<b>.</b>	7 P			estos-ceme			•
1 Steel		3 Stainless	,	5 Fiberglass	200	MP (SR)	11 Oth	er (specify)			<i>.</i>
2 Brass		4 Galvaniz		6 Concrete tile	9 A			ne used (op			
REEN OR PI	ERFORAT	ION OPENIN	IGS ARE:	5 Gauz	zed wrapped		8 Saw cut ,	٠.٠	11 Nor	ne (open	hole)
1 Continuo	ous slot	3 M	lill slot	6 Wire	wrapped		9 Drilled holes				
2 Louvered		4 K	ey punched	7 Torc	h cut		10 Other (specify	/)			
		INTERVALS:	From	2.5 ft. to .	100	2 ft From	n	ft. t			f
				ft. to .							
GRAVI	EL PACK	INTERVALS:		<b>5</b> ft. to .							
			From	ft. to			n				f
GROUT MAT	ERIAL:	1 Neat	cement 2	Cement grout	3 Ben		Other				
out Intervals:	From			ft., From							
at is the nea	rest source		contamination:	, , , , , , , , , , , , , , , , , , , ,			ock pens			d water v	
1 Septic ta		4 Later		7 Pit privy		11 Fuel	•	15 C	il well/G	as well	
2 Sewer lin		5 Cess		8 Sewage lag	goon		zer storage			ecify belo	w)
		ines 6 Seep	•	9 Feedyard	,		ticide storage		No. A		
ection from w			3 .	,		How mar			*		
	o l		LITHOLOGIC L	OG	FROM	TO		LITHOLOG	IC LOG		
0 3		TOP	SOIL								
4 1	8	Ve 1/1	U CLAY	,							
18 2	20	Whit	re CIA	V							
		AND	V Yellow	CLAY							
	35	Blow	CIAV	- 111							
	6	Lines	TONE								
	6	RIDE	SHAle	2							
4	- 4	Line	STONE					, , , , , , , , , , , , , , , , , , , ,		-	
	0 6	LADO	Grey	SHALE							
		V 11 20	0,1.0,	- A 11 KC							
	. 4.						,				
			*			1					
					<u> </u>	<u> </u>					
CONTRACTO	OR'S OR	LANDOWNE	R'S CERTIFICATION	N: This water well v	vas (1) constr	ructed. (2) reco	nstructed, or (3) p	olugged und	der my ju	urisdiction	and wa
pleted on (m	no/day/yea	r)	3/7					st of my kn	owledge	and belie	if. Kansa
		cense No.		8 as 1 2 M	1 . , .	as completed			1.3.	ببه	
			LIAMSON	Well D	16/6	by (signat	ure) Trans	w	SAA	mu	. Committee
				PRESS FIRMLY at							
NER and re	tain one fo	or your record	zaiui ano Environme ds.	ent, Division of Enviro	riinent, ⊏nviro	ппена Сеою	у э <del>е</del> сиоп, торека	, NO 00020.	. Sena on	IO WAY	LIT VVEL