KOLAR Document ID: 1303952

				vision of Water		W 11 ID		
<u> </u>		ge in Well Use		sources App. No		Well ID	NY 1	
1 LOCATION OF	WATER WELL:	Fraction		ection Number	1		ige Number	
County:		1/4 1/4 1/4	1/4	1 4 1 1	T S	R	□ E □ W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Business: Address:			direction fron	nearest town or	intersection): If at owner	i's address,	check here:	
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COL				_			
WITH "X" IN	4 DEPTH OF COMPLETED WELL:							
SECTION BOX:	1				tude:			
N	2) ft. 3) ft., or 4) ☐ Dry V WELL'S STATIC WATER LEVEL: f				WGS 84 □ NAI		AD 27	
	below land surface, measured on (mo-day-yr)				Source for Latitude/Longitude: GPS (unit make/model:)			
NW NE								
NW NE	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map			
w H	after hours pumpinggpm				Online Mapper:			
SW X SE	Well water was ft.							
SW SE	after hours pumping gpm			6 Florestions 6 Florest I and From				
	Estimated Yield:				6 Elevation:ft. Ground Level TOC			
S		in. to		Source	Source: ☐ Land Survey ☐ GPS ☐ Topographic Map			
1 mile in. to ft. Other								
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID			Field Water Supply: 16			
Household	6. Dewaterin		11. Test Hole: well ID					
Lawn & Garden	Lawn & Garden 7. Aquifer Recharge: well ID							
2. ☐ Irrigation	<u> </u>				12. Geothermal: how many bores?			
3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	☐ Recovery		Attaction					
V V V								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft.								
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other.								
Grout Intervals: From								
	sible contamination: No							
☐ Septic Tank	☐ Lateral Line			Livestock Pen	s	cide Storage		
☐ Sewer Lines	Cess Pool		goon [Fuel Storage		oned Water		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)								
10 FROM TO	LITHOLO	GIC LOG	FROM	TO 1	LITHO. LOG (cont.) or	PLUGGIN	G INTERVALS	
				1				
				1				
				1				
				1				
		Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No								
unuer me business n	Send one copy to WATED W	VELL OWNER and rates of	ne for your ro	cords Fee of \$5	00 for each constructed we	<u></u> -11		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							