

60

Horton

WATER WELL RECORD

DAB

Form WWC-5

KSA 82a-1212

V8

1 LOCATION OF WATER WELL:	Fraction <u>NW</u>	Section Number <u>9</u>	Township Number <u>T 5 S</u>	Range Number <u>R 17 E/W</u>
County: <u>Atchison</u>	<u>8 1/4</u> <u>NE</u> <u>1/4</u> <u>SE</u> <u>1/4</u>			

Distance and direction from nearest town or city street address of well if located within city?

1 M S KC NNE KUK

2 WATER WELL OWNER: <u>Tom Gaskell</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>RR</u>	Application Number:
City, State, ZIP Code: <u>HORTON, KANSAS 66439</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>60</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. <u>36</u> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>25</u> ft. below land surface measured on mo/day/yr <u>8-12</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>6</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>10</u> in. to <u>22</u> ft., and <u>8</u> in. to <u>38</u> ft. WELL WATER TO BE USED AS: 1 Domestic <u>3 Feedlot</u> 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
1 Steel	3 RMP (SR)	9 Other (specify below)	Welded
<u>2 PVC</u>	4 ABS	7 Fiberglass	Threaded
Blank casing diameter <u>6 3/8</u> in. to <u>60</u> ft., Dia			
Casing height above land surface <u>18</u> in., weight			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>7 PVC</u>	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	<u>3 Mill slot</u>	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From <u>35</u> ft. to <u>55</u> ft., From		
GRAVEL PACK INTERVALS:	From <u>25</u> ft. to <u>60</u> ft., From		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite <u>grout</u>	4 Other
Grout Intervals: From <u>4</u> ft. to <u>15</u> ft., From				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well? <u>Southwest</u>				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				How many feet? <u>40</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	10	TOP Soil			
10	36	SANDY Yellow CLAY			
36	40	Limestone (Soet)			
40	60	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8-12-77</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>312</u> This Water Well Record was completed on (mo/day/yr) <u>6-18-81</u> under the business name of <u>Williamson Well Drig</u> by (signature) <u>James Kramer</u>
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

S

R

17

EW

SEC.

10

C

85

1/4

SA

1/4