

36

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: County ATCHISON		Fraction SE SE SW SW SE SE 1/4		Section number 6	Township number T 5 S R 18 E/W	Range number
2. Distance and direction from nearest town or city: 4.5 E 2 S			3. Owner of well: HORTON CITY well #1			
Street address of well location if in city: of HORTON			R.R. or street: City, state, zip code: HORTON, KS 66439			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 24 in. Completion date 7-17-79 Well depth 54 ft.		
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				8. Use: <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
5. Type and color of material		From	To	9. Casing: Material Steel Height: 36 in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 36 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 38.55 lbs./ft. Dia 12 in. to 54 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .375		
Top SOIL		0	3	10. Screen: Manufacturer's name Johnson Type STAINLESS STEEL Dia. 12 Slo/gauze .025 Length 10 Set between 44 ft. and 54 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1030x.060		
Clay, brown		3	10	11. Static water level: <input type="checkbox"/> mo./day/yr. 5 ft. below land surface Date 7-17-79		
FINE SAND		10	15	12. Pumping level below land surfaces: ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 170 g.p.m.		
Clay, blue		15	26	13. Water sample submitted: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Date 7-31-79		
FINE SAND, BROWN, CLEAN, water bearing		26	59	14. Well head completion: CAP <input type="checkbox"/> Pitless adapter 36 inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 20 ft.		
				16. Nearest source of possible contamination: ft. 200 Direction W Type Lake Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name JACUZZI Model number 556M HP 5 Volts 230 Length of drop pipe 42 ft. capacity 100 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Trader Dalg Co Inc 182 Business name License No. Address RT1 Horton, KS Signed Dale Raker Date 7-19-79 Authorized representative		
18. Elevation: 1070 1075 Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks: slab will be installed				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5