WATER WELL RECORD Form WWC-5 Division of Water R3S											
			e in Well Use		Resources App. No.			Well ID	37 1		
1 LOCATION OF WATER WELL: County: Atchison									ge Number		
									R 21 ■ E □ W		
2 WELL O			here well is located (if unknown, distance and								
	1801 Mair			direction from nearest town or intersection): If at owner's addre					_		
Address:						NE of the intersection of River Road and Atchison					
	<u>Atchison</u>	State: KS	ZIP: 66002 Street, A			hison, Kansas					
3 LOCATE		4 DEPTH OF COM	IPLETED WELL:60 ft.			5 Latitude: 39.578122 (decimal degrees)					
WITH "X'			Encountered: 1)17.8 ft.			Longitude: -95.105888 (decimal degrees)					
2) ft. 3			3) ft., or 4) □	Dry Wel	1	Horizontal Datum: ■ WGS 84 □ NAD 83 □ NAD 27					
		WELL'S STATIC WA	TER LEVEL:1./	ft.	22	Source for Latitude/Longitude:					
	'		, measured on (mo-day-			■ GPS (unit make/model: Garmin eTrex 10					
NW	- NE		measured on (mo-day-yr)rater wasNA ft.			(WAAS enabled? ■ Yes □ No)					
l w	E		pumpinggpm			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:					
	'		vater was ft								
SW	- SE		pumpinggpm			797					
Estimated Yield:NA			gpm			6 Elevation: 787ft. Ground Level TOC					
S 1 mile	la I		6 in. to 60 ft. and			Source: ☐ Land Survey ■ GPS ☐ Topographic Ma					
			in. to	II.			ouler				
1. Domestic:	7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID										
☐ Househol						11. Test Hole: well ID					
☐ Lawn &						☐ Cased ☐ Uncased ☐ Geotechnical					
☐ Livestocl		8. Monitorin	echarge: well ID g: well IDR3	S			ermal: how many bores				
2. Irrigation	1		al Remediation: well ID				sed Loop Horizont				
3. Feedlot	1		e ☐ Soil Vapor E	xtraction		b) Open Loop ☐ Surface Discharge ☐ Inj. of Water 13. ☐ Other (specify):					
4. Industrial		Recovery									
		iological sample subm	itted to KDHE?	Yes 🔳 N	lo I	If yes, date	sample was submitte	d:			
		☐ Yes ☐ No			CD I	a top me					
8 TYPE OF	CASING	USED: ☐ Steel ■ PV	C ∐ Other	CA	SINC	J JOIN 18:	☐ Glued ☐ Clamped	I ∐ Welded	1 Threaded		
Casing diameter											
		PERFORATION MA		103./	10.	wan unexi	less of gauge 140 P. P.P.				
☐ Steel		iless Steel				Othe	r (Specify)				
Brass		anized Steel		sed (open	hole)		(1 2/				
		ATION OPENINGS A									
Continuo			auze Wrapped					•••••			
Louvere	d Shutter	☐ Key Punched ☐ W	ire Wrapped	v Cut [_ Noi	ne (Open Ho	ole)	0.4			
SCREEN-PE	AVEL DAG	ED INTERVALS: From CK INTERVALS: From	1. 7 9π.το	π., Fro	m	οι .π	II., From	II. 10	π.		
0 CPOUTA	MATEDIA	L: _ \[\] Neat cement	Compet crosst	II., FIO	III	11. 10	It., FIOIII	11. 10	II.		
Grout Intervals	via i ekia s: From	35 ft. to .0	ft From	nomie [Ou	ff From	ft to	ff			
		e contamination:				10., 110111					
☐ Septic Ta		☐ Lateral Line	s 🗌 Pit Privy		Li	ivestock Pen	s Insection	cide Storage			
Sewer Lin		Cess Pool	Sewage Lag	goon		uel Storage		oned Water	Well		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Specify)											
10 FROM	TO	LITHOLOG	CIC LOG	FROM			LITHO. LOG (cont.) or		GINTERVALS		
		Clay	222 200	TRON	+	10 1	21110. 200 (cont.) Of	LEGGOIN	O II (I III (I III I)		
24 6		Sand									
	0 5	Shale Bedrock									
				Notes:							
	Locking 4" steel protective casing installed and cemented in place										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed or plugged under my jurisdiction and was completed on (mo-day-year) .8/31/2023 and this record is true to the best of particular depends on the b											
Kansas Water	Kansas Water Well Contractor's License No. 778. This Water Well Record was completed by the best of the seat of the seat of the best of th										
under the bus	siness name	of Terracon Consul	tants, Inc.		.Sign	nature	//				
Mail 1 w	vhite copy alo	ng with a fee of \$5.00 for eac	h constructed well to: Kan	sas Departn	nent of	f Health and E	nvironment, Bureau of W	ater, GWTS S	Section,		
		., Suite 420, Topeka, Kansas					e for your records. Teleph				
Visit us at http://	/www.kdheks	.gov/waterwell/index.html		KSA 82a	-1212	2		Revised	7/10/2015		

T. 5 Rge. 21E Sec.31 Atchison

OWNER: City of Atchison, KS BORING/WELL NO.					River Line: Ol	B #3 (R3S)	PAGE	1 O F	1	PAGES	
LOCATION: South Test Well Site					SCREEN: PVC						
					DIAMETER: 2-inch SLOT NO. 0.02-inch						
DATE COMPLETED: 8/31/2023					SETTING: 40 to 60 feet below ground						
DRILLING	COMP	ANY:	Terracon		SAND PACK:						
					SETTING: 35 to 60 feet below ground						
DRILLING METHOD: Rotary					CASING: 2-inch PVC						
SAMPLING METHOD: Split spoon with 2-inch or 3-inch sampler					SETTING: +2.58 to 40 feet below ground						
OBSERVER: Martha Silks					SEAL TYPE: bentonite pellet grout to surface						
REFERENCE POINT: Native ground surface					DEVELOPMENT: by pump						
REFERENCE POINT ELEVATION: 786.272 feet msl					DURATION: until discharge appears clear (minimum 3 casing volumes)						
STICK-UP: 2.58 feet											
SURFACE	COMP	LETION:	Steel locking casi	ng	WATER LEV	EL: 15.33 feet belo	w Top of	PVC Ca	sing		
REMARKS:				YIELD: na							
DEPTH IN FEET Spl. Type (Rec.)					CEOL OC	C DESCRIPTION					
FROM	то	/ blow counts			GEOLOGI	C DESCRIPTION					
0	5	WB	clay, dark gray-br	own							
5	24	WB	AA								
24	54.5	WB	sand, gray, medium to coarse								
54.5	56.5	SS (7") / 8-50/1"	sand, gray, coars	e with boulders							
56.5	57.0	SS (0") / 50/0"	no recovery								
57.0	60.0	WB	limestone boulder	·, hard							
			<u> </u>								