		WAIEHV	VELL HECCHU	Form WWC-5	KSA 82a-	1212		TOTAL CONTRACTOR OF THE PROPERTY OF THE PROPER
LOCATION OF WATER WEL ounty: Marshall	L Fractio		NE 1/4 N	E 1/4 Section	n Number 32	Township Numbe	i i	Range Number R 5≵ E/W∴
istance and direction from near Cottage Hill			mi S	Street addres	s of well if le	ocated within city?	-Ville	. Ke
WATER WELL OWNER: 4				,	-			
R#, St. Address, Box #: ity, State, ZIP Code:	Watervill	Le, Kan	.sa.s 66 <i>5</i> 4	.8		Board of Agricu Application Nur		of Water Resources
DEPTH OF COMPLETED V	veii 122	ft Boro	Holo Diameter	8 in to		th and	in to	
/ell Water to be used as:		c water supp		8 Air conditio		11 Injectio		'····· π.
1 Domestic 3 Feedlot		eld water sup	•	9 Dewatering	•	•	(Specify below	, () (A)
2 Irrigation 4 Industrial	7 Lawn	and garden	only	10 Observation	n well		•	,
fell's static water level .7.7.	ft. bo	elow land su	rface measured or	n June		nth 09	dav	1981 vear
ump Test Data		er was		r		hours pumping hours pumping		
TYPE OF BLANK CASING		5	Wrought iron	8 Concrete			Glued	. Clamped
1 Steel 3	RMP (SR)		Asbestos-Cement					
(2 PVC) 4.	ABS	7	Fiberglass				Threaded	
lank casing dia5	in. to	12	ft., Dia	in. to		ft., Dia	in. to	) ft.
asing height above land surfa	ce12		in., weight 20	0	lbs./i	ft. Wall thickness or a	auge No . • 2	200
YPE OF SCREEN OR PERFO	DRATION MATE	RIAL:		7 PVC		10 Asbestos		
1 Steel 3	Stainless steel	5	Fiberglass	8-RMP	(SR)	11 Other (s	pecify)	
2 Brass 4	Galvanized steel	6	Concrete tile	9 ABS		12 None us	ed (open hole	е)
creen or Perforation Openings	s Are:		5 Gau	zed wrapped		8 Saw cut	11 N	one (open hole)
1 Continuous slot	3 Mill slot		6 Wire	wrapped		9 Drilled holes		
2 Louvered shutter	4 Key punched		7 Toro			10 Other (specify)		
creen-Perforation Dia 5	in. to .		ft., Dia	in. to		ft., Dia	in t	to
creen-Perforated Intervals:								
i,	From		ft. to	ft.,	From	<i></i>	t. to	ft.
ravel Pack Intervals:	From 49		ft. to	ft.,	From	<i>.</i>	t. to	
junia wia wanana a da	From	Market Contraction	ft. to	The second secon	From		t. to	ft.
GROUT MATERIAL:	1 Neat cement	25 2 0	Cement grout	3 Bentonit	e 4 C	Other		
routed Intervals: From. 71	ft. to .	62.V.	ft., From	<sub>.</sub> ft.' t			ft.	to
that is the nearest source of p		nation: NO			10 Fuel st	torage	14 Abandor	ned water well
1 Septic tank	4 Cess pool		7 Sewage la	goon		er storage	15 Oil well/0	
2 Sewer lines	5 Seepage pit		8 Feed yard			cide storage	(- (- (- (- (- (- (- (- (- (- (- (	
3 Lateral lines	6 Pit privy		9 Livestock p			ight sewer lines		
irection from well		How ma	ny feet		? Water V	Vell Disinfected? Yes		No
(as a chemical/bacteriological								
as submitted								
Yes: Pump Manufacturer's na epth of Pump Intake	ame			Model No		HP		Volts
ype of pump:	Submersible		hine					
CONTRACTOR'S OR LAND				3 Jet		fugal 5 Recipi	rocating	6 Other
. } 1	ine	HEICHTION	onth	00 Constructi	ea, (2) recor	1981		
impleted off	act of my knowle		ontn	7 /	. day	9 971 13		year,
nd this record is true to the behis Water Well Record was co	ompleted on	June	er. Kansas Water	month		1801		
ame of Blue Valle	y Drilli	ng		by (signature)		ay	yee	ar under the business
LOCATE WELL'S LOCATIO		то	LITHOLO	OGIC LOG	FROM			OGIC LOG
WITH AN "X" IN SECTION			op kr soi		1		LITTIOL	3
BOX:	2		rown clay					
N	15		hale	·				
	38	41 L	ime stone			The second beautiful to the second se		
NW NE	4重	53 S	hale					
E E	53	57 L	imestone					
- T	57	80 S.	hale					AMY
SW SE	80	82 L.	imestone					
<u> </u>	82	97 S	hale					
5 .1 ← 1 Mile 1			imestone					
LEVATION:	105		lint & l	ime				
epth(s) Groundwater Encount	ered 1	ft. 2	ft. 3	ft. 4	ft.	(Use a seco	ond sheet if r	needed)
NSTRUCTIONS: Use typewrite	r or ball point pe	n, please pre	ess firmly and PRII	NT clearly Please	fill in blanks	underline or circle the	correct anev	vers Sand ton three
ppies to Kansas Department of stain one for your records.	Health and Envir	onment, Divis	sion of Environmen	nt, Water Well Cont	ractors, Tope	eka, KS 66620. Send o	ne to WATER	WELL OWNER and