		WELL RECORD	Form WWC-	5 KSA 82a	-1212		
1 LOCATION OF WATER WELL:	Fraction $\mathcal{N}\mathcal{W}_4$	11-	VW _{1/4} Se	ction Number	1 2		Range Number
County: O Tan/a Tan if	or city street add	trace of well if loca	tod within city?	35	<u> </u>	(s)	<u> </u>
Distance and direction from nearest town or city street address of well if located within city? Owngo, Ky							
2 WATER WELL OWNER: Cily	AE ANAGA	·					
RR#. St. Address. Box # : 7.	PMSNLT				Board of A	ariculture. [Division of Water Resources
RR#, St. Address, Box # : 3, 9 City, State, ZIP Code : 3, 7	,	Board of Agriculture, Division of Water Resources Application Number: 1.5.30ft. ELEVATION:					
3 LOCATE WELL'S LOCATION WITH	DEPTH OF COL	66521	4/15 30	# FIFVA	TION!	Truinoc.	
AN "X" IN SECTION BOX:	Penth(s) Groundwa	ater Encountered	1	ft. 2)	ft. 3	ft.
	WELL'S STATIC W	ATER LEVEL	? ft. l	helow land sur	face measured on	mo/day/yr	
							mping gpm
Est. Yield gpm; Well water was ft. after hours pumping gpm							
							toft.
W 1 1 E	WELL WATER TO BE USED AS: 5 Public wat				8 Air conditioning		Injection well
T sw se	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Sp						
	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well	١ ,	
Y		cteriological sample	submitted to D				mo/day/yr sample was sub-
5 TYPE OF BLANK CASING USED:	nitted	· Maranaha iran	0 Cono.		ter Well Disinfecte		No Clamped
1 Steel 3 RMP (SR)		Wrought iron Asbestos-Cement	8 Concr	rete tile (specify below			d Clamped ed
2 PVC 4 ABS		7 Fiberglass	1 9 Olliei	(Specify Delow	v) 	Thres	aded
Blank casing diameter		Lita	Du in to	· · · · · · · · · · · · · · · · · · ·	ft Dia	111100	in. to ft.
Casing height above land surface.	<i>,</i> , ,	weight					0
TYPE OF SCREEN OR PERFORATION		1	7 PV			estos-ceme	
1 Steel 3 Stainless	steel 5	5 Fiberglass	8 RM	MP (SR)	11 Oth	er (specify)	
2 Brass 4 Galvanize	d steel 6	6 Concrete tile	9 AE	3S	12 Nor	ne used (op	en hole)
SCREEN OR PERFORATION OPENING			uzed wrapped		8 Saw cut		11 None (open hole)
1 Continuous slot 3 Mill			e wrapped		9 Drilled holes		
-	punched	7 Toro			, ,	,	
SCREEN-PERFORATED INTERVALS:				,			o
From. ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From. ft. to ft., From ft. to ft.							
GIAVEE I AGN IIVIETIVIES.	From	ft. to		ft., Fron		_	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
_		•					ft. to ft.
What is the nearest source of possible of	ontamination:			10 Livest	tock pens	14 A	bandoned water well
1 Septic tank 4 Lateral		7 Pit privy		11 Fuel storage 15 Oil w		il well/Gas well	
2 Sewer lines 5 Cess p		8 Sewage la	igoon	12 Fertilizer storage 16 Other (specify be		ther (specify below)	
3 Watertight sewer lines 6 Seepa			ticide storage				
Direction from well? FROM TO	LITHOLOGIC LO)G	FROM	How mar		UGGING IN	NTERVALS
O 3 Comarco	A Chay	<u> </u>	1 HOW	 '0 	, _	.oaana n	TETTALO
3 4 Ra Travit	e Comet	•					
4 15 Character	Sans		Λ				
15 17 RINTENIT	Corpu I						
17 30 Charinal	1 Gards						
			' //	_			
		-4		1			
		111/	<u>/</u>				
		1 1/2 1//		1			
	\ \	V //		 			
				1			
		//					
		J					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, (3) plugged under my jurisdiction and was							
completed on (mo/day/year) 3							
Water Well Contractor's License No							
under the business name of Hald	man U	UM Pril	16.64	by (signat	iure) Ca	3/	CWAPS
INSTRUCTIONS: Use typewriter or ball point pe of Health and Environment, Bureau of Water, To							