WATER WELL REC	CORD	Form W	WC-5	Div	vision of Wate	r Resources App. No	o.		
1 LOCATION OF WA	TER WELL:	Fraction	_			Township No.	Range Numl	ber_	
County: 54CH.	san	SE4 NW4 SI	$W_{4} = \frac{1}{4}$		28	T 6 S	R 15 1	E UW	
Street/Rural Address of		if unknown, distance	& direction			System (GPS) in			
from nearest town or i	ntersection: If at	owner's address, chec	k here .					degrees)	
11/2 NORYY OF HOLTON				Longitude: (in decimal degrees)					
				Elevation:					
A WATER WELL OWNER WELL ON SACE					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: HENRY PAGEL					Collection Method:				
RR#, Street Address, Box #: 28337 Q 4 RO					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code	: 11017	ON, KS 6643	>/		Digital Map/Ph	oto, Topographic	c Map, Land	1 Survey	
3 LOCATE WELL			_			3 m, □ 3-5 m, □	3-13 m, <u>□ >1</u>	.3 m	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	л. 6	/	ft				
SECTION BOX:						ft (3)	ft	
N	WELL'S STAT	Depth(s) Groundwater Encountered (1)							
		test data: Well water							
NW NE	EST. YIELD.	نgpm., Well wate	er was	ft.	after	hours pum	ning	gpm	
W NW NE E	Bore Hole Diam	eter9in. to .	70	ft and	in.	to	ft.	85	
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
Water well disinfected? Ves No									
5 TYPE OF CASING USED: Steel VPVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter in. to									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.									
1			n	π. το	п.,	From	. II. to	II.	
What is the nearest source of possible contamination:									
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
Sewer lines Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedvard Fertilizer storage Oil well/gas well Direction from well NONE PRESENT Distance from well									
Direction from well	NUNE	PRESENT		_	11				
FROM TO	LITHOLOG		FROM	TO		OG (cont.) or PLU	GGING INTE	ERVALS	
O 3 TOP	SOIL		59	60	SAND	(MED /YE	(LOW)		
	LOW & TAR	CLAY	66	70	GRAY	SHALE			
	O (FINE/Y			-	G 1:1	G F F L F L			
ZO ZI YEL	LOW CLA								
	ND (FINE)								
36 37 YEL	LOW CLA	/							
36 37 YEL 37 39 SAN		/Ellehul						-	
	ESTUNE L								
	DIMED.								
45 54 641		TE FCOOD 3							
7 CONTRACTOR'S OF		'S CERTIFICATIO	N: This water	r well w	as Bronetm	icted Treconstr	icted or \square =1	naged	
under my jurisdiction and	was completed of	n (mo/dav/vear)	13.3/17 ar	nd this re	cord is true t	o the best of my b	nowledge and	uggeu helief	
under my jurisdiction and was completed on (mo/day/year)									
under the business name	of RLUE	IAUEY DRIL	LING Z	Why (ci	gnature)	(inorday/year)	, 		
INSTRUCTIONS: Use typew								three copies	
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geolo	gy Section	n, 1000 SW Jac	kson St., Suite 420, 7	Topeka, Kansas 6	66612-1367.	
Telephone 785-296-5524. Ser	nd one copy to WAT	ER WELL OWNER and	retain one for y	our record	ls. Include <u>fee</u>	of \$5.00 for each co	onstructed well.	Visit us at	
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									