WATER WELL R		wWC-5	Div	ision of Wate	er		
Original Record	Correction	nge in Well Use	Rese	ources App. N	ło.	Well ID	
1 LOCATION OF WATER WELL: Fra		Fraction				1	
County: JACKSON WEWE'NSW				21	T 6 S	R/STREW	
2 WELL OWNER: La	ast Name: () F. W	First SHANE			where well is located		
Business: // 760		1	direction from	nearest town or	intersection): If at owner	r's address, check here:	
Addenses							
City: HULTON State: KS ZIP: 66436 NORTH OF HULTON							
3 LOCATE WELL	T						
WITH "X" IN		MPLETED WELL:				(decimal degrees)	
SECTION BOX:	SECTION BOX: Depth(s) Groundwater Encountered: 1) tt.				Longitude:(decimal degrees)		
N	2)					4 □ NAD 83 □ NAD 27	
	WELL'S STATIC WATER LEVEL:28				Source for Latitude/Longitude:		
	above land surface, measured on (mo-day-yr).				GPS (unit make/model:) (WAAS enabled? Yes No)		
NW NE	Pump test data: Well water was ft.			1	Land Survey Topographic Map		
W Y	E after hours pumping gpm				Online Mapper:		
" " " " " " " " " "	Well water was ft.						
SW SE	after hours pumping gpm			C Element	4!	Committee Troc	
	Estimated Yield: 20gpm				6 Elevation:ft. Ground Level TOC		
	S Bore Hole Diameter:				Source:		
7 WELL WATER TO BE USED AS: 1. Domestic: 5.							
Domestic: Household		Water Supply: well ID					
☐ Housenoid ☐ Lawn & Garden					11. Test Hole: well ID		
Livestock	-1			_	12. Geothermal: how many bores?		
2. Irrigation	9. Environmental Remediation: well ID				a) Closed Loop Horizontal Vertical		
3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water		
4. Industrial	☐ Recover						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? ✓ Yes ☐ No							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land s	surface	in. Weight Z. 2	3 lbs./ft.	Wall thick	mess or gauge No r. 2	26.5	
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped ■ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination: Septic Tank							
Sewer Lines	☐ Cess Pool		goon \Box	Fuel Storage		oned Water Well	
□ Watertight Sewer Lin	ies Seepage I	Pit Feedyard		Fertilizer Sto		ll/Gas Well	
Other (Specify)NONE PRESENT							
Direction from well?	•••••	Distance from w	ell?		ft.		
10 FROM TO	LITHOL	OGIC LOG	FROM	ТО	LITHO. LOG (cont.) or	PLUGGING INTERVALS	
	TUPSOIL						
3 29	YELLOW & 7	ANCLAY					
29 38	BLUE CLAY	/					
38 54	SANK (FINE	(YELLOW)					
54 60	BLUE CLA	9'					
60 69	SAND (FIN	EIBLUE					
69 96	BLUE CLA	4	Notes:				
96 102 CHERT GRAVEL							
107 112	GRAY SHA	LE					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sigma\) constructed \(\sigma\) reconstructed or \(\sigma\) plugged							
under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Con	tractor's License No.	77 FO A This Wa	ater Well Red	cord was cor	npleted on (mo-day-y	gar)	
Mail Lubita converta	ong with a fee of \$5.00 for	ANNEZ . L.\ICILLIA	nege Denortment	gnature	Environment Great of 11	ater GWTS Section	
1000 SW Jackson St	Suite 420 Toneka Vana	as 66612-1367 Mail one to	water Well Own	ner and retain o	ne for your records. Telent	nore 785-296-5524	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and re Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212					no to your records. Telepi	Revised 7/10/2015	
						The state of the s	