WATER WEL	T KECOKD	Form W	<u> </u>			r Resources App. IN		
1 LOCATION OF WATER WELL:		Fraction	1/ NI 1/	Sectio	n Number 28	Township No. T 6 S		
County: Atch		SE ¼ NE ¼ SE		Global	Global Positioning System (GPS) information:			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Latitude: .39.30,119			
					Longitude: 95 30.946 (in decimal degrees)			
Bourbon Rd and 254th Rd					Flevation: 963			
					Datum: ☑ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: United States Geological Survey				Collection Method: GPS unit (Make/Model: Garmin St Pilot 3)				
City, State, Z	TD C 1	uail Crest Place	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
City, State, 2	IP Code : Lawren	ce, KS 66049	KS 66049 Est. Accuracy: $\square < 3 \text{ m}$, $\square 3-5 \text{ m}$, $\square 5-15 \text{ m}$, $\square >$				5-15 m, $\square > 15$ m	
3 LOCATE WE	I.I.	and the second s		ستونيه والمستوافلية بالمسا				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 18.6								
SECTION BOX: Depth(s) Groundwater Encountered (1).8 ft. (2) ft. (3) WELL'S STATIC WATER LEVEL 3.0 ft. below land surface measured on mo/day/yr.10/6/10								
N	WELL'S STATIC WATER LEVEL 3.0							
Pump test data: Well water was								
NW N	E	gpm. Well water was						
W	E Bore Hole Dian	TO BE USED AS: Public water supply Geothermal Injection well						
	Domostia	Feedlot []	Dil field wat	er sunnly		ewatering \Box	Other (Specify below)	
SW S	E Doniestic		Domestic-lay	vn & ga	rden 🕅 Me	onitoring well		
	Was a chemical	/bacteriological sample	submitted to	Depart	ment?	Yes 🗹 No		
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								

CASING JOINTS: Glued Casing diameter 2.1/2" in. to 18.6 ft., Diameter in. to ft., Diameter ft., Diameter ft.								
Casing height above land surface. 30 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 18.6 ft. to 8.6 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From 18.6 ft. to 5 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals:		o . 5 ft., From	1	ft. to	ft.	, From	ft. toft.	
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines Cosspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Scepage pit Feedyard Fertilizer storage Oil well/gas well								
	m well							
FROM TO	LITHOLOG		FROM	TO			UGGING INTERVALS	
0 4	Black Clay							
4 8	Brown Dark Clay							
8 16	Brown silty clay							
16 18.6	Blue clay							
			<u> </u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .10/6/2010 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 823 This Water Well Record was completed on (mo/day/year) 10/13/10								
under the business name of United States Geological Survey by (signature)								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								