			ATER WELL RE	CORD Form	WWC-5 K	SA 82a-121)		<u> </u>	
		VATER WELL:	Fraction	_		Section N	umber	Township N	umber	Range Number	
		ISON		NW 1/4				T 6	S	R 20 G	2 W
Distance a	and directi	on from nearest t	own or city stree	./\ \ \		thin city?					
Ole	D4 -	<u> Imustr</u>	ial ka	. Hon.	3D()						
2 WATER	WELL O	WNER: CIN	tyton G	roup SE	VVICES				'Cl		
 RR#, St. A					n BIU			Board of Ag	riculture, [Division of Water Res	ources
City, State			KK Woo		802			Application I			
3 LOCATE	- WFIL'S	LOCATION WITH	4 DEPTH OF				FLEVATI	ON: 87.7	7.5		
	IN SECTI										
		<u> </u>								3/11/04	
A	!	!								oumping	
1 1	_ NW	NE		•					-	oumping	
	1									in. to	
w W	I	E		TO BE USED AS		-		Air conditioning		njection well	
- VV	1		1 Domestic			l water supply		Dewatering		Other (Specify below)	
	K'A	SE	2 Irrigation	4 Industrial						· · · · · · · · · · · · · · · · · · ·	
-	XXV	SE	Z inigation	4 maasmar	7 Domesi	ic (lawn a gai	deri)	normoring wen.			
†	i		Was a chemical	/bacteriological san	nple submitted	to Departmen	nt? Yes	No 📈	; If yes, n	no/day/yrs sample wa	as sub-
		S	mitted					Vell Disinfected?		No	
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron		Concrete tile			NTS: Glue	ed Clamped	
1 Stee		3 RMP (S	R)	6 Asbestos-Cer	ment 9	Other (specif	y below)			ded bei	
PVC	;	4 ABS		7 Fiberglass					Thre	aded. 📈	
Blank cas	ing diame	ter	in. to 5.	ft., Dia		in. to		ft., Dia		in. to	ft.
Casing he	eight abov	e land surface ,	Flush	in., weight			lbs./ft.	Wall thickness of	or gauge N	lo	
-	•		•	-		7PVQ			estos-cem		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass						8 RMP (SR))		ther (specify)		
2 Brass 4 Galvanized steel 6 Cond						9 ABS		12 None used (open hole)			
SCREEN	OR PER	FORATION OPE	NINGS ARE:	5	5 Gauzed wrapped			8 Saw cut		11 None (open hole	e)
	tinuous sl		ill slot		6 Wire wrapped			9 Drilled holes			
	vered shu		ey punched		Torch cut						
SCREEN	-PERFOR	ATED INTERVA								o	
			From	ft	. to	ft	., From .		ft. t	o	ft.
	GRAVEL	PACK INTERVAL	LS: From		. to ∕. ≶		., From .		ft. t	0	ft.
										0	
		AL: 1 Neat c		2 Cement grout		Bentonite					
Grout Int	ervals: F	rom#32	ft. to // .	ft., From	#0	ft. to	2	ft., From		ft. to	ft.
What is t	he neares	t source of possil	ble contaminatio	n:				ck pens	14 A	bandoned water well	
1 Sep	tic tank	4 Later	ral lines	7 Pit	Ø	Fuel storage			15 Oil well/Gas well		
2 Sew	er lines	5 Cess	s pool	8 Se	12	12 Fertilizer storage			16 Other (specify below)		
3 Wat	ertight sev	wer lines 6 Seep	age pit	9 Fe	13	13 Insecticide storage					
Direction	from well	?			How ma			any feet?			
FROM	ТО		LITHOLOGIC L	OG	FR	ом то)	PLU	GGING IN	NTERVALS	
0	45	AONA	ut								
		344	Bulle								
	11-	- Forth	13982								
	15	>///	YCIAY								
											
							·				
	ļ										
.											
				· · · · · · · · · · · · · · · · · · ·							
	ļ										
7 CONTR	ACTOR'S			TION: This water	117					der my jurisdiction an	
completed	on (mo/da	ay/year) 🖇	3.64.69.			and this	s record i	s true to the bes	t of my kn	owledge and belief. K	ansas
Water Wel	l Contract	or's Licence No	6.50	This Wa	ter Well Reco	ord was comp	pleted on	(mo/day/yr)	11.81	04	
under the l	ousiness r	name of	7/FC				by (signa	ature) /	,,	,	
INSTRUC	FIONS: I lee to	rpewriter or hall point per	n. PI FASE PRESS EI	RMI Yand PRINT clearly	. Please fill in blan	ks. underline or o	ircle the corr	ect answers. Send too	hree conies to	Kansas Department of Healt	h and
		Pomino or par politi pel	··· <u></u>	<u></u>		, andomie of Cl		a	oopioo it	rous - spartingin on riean	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.