


MW-40322

1 LOCATION OF WATER WELL: Fraction  $\frac{1}{4}$  NW  $\frac{1}{4}$  SE  $\frac{1}{4}$  Section Number 20 Township Number T 6 S Range Number R 20 **(EW)**

Distance and direction from nearest town or city street address of well if located within city?  
4 miles southwest of Atchison, KS

2 WATER WELL OWNER: ContiGroup Companies  
RR#, St. Address, Box # : U.S. Highway 59 West  
City, State, ZIP Code : Atchison, KS 66002  
Board of Agriculture, Division of Water Resource  
Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  


4 DEPTH OF COMPLETED WELL: 90' ft. ELEVATION: 1078.00  
Depth(s) Groundwater Encountered: 26.3 ft. 18-26 ft. 59-61 ft. 81.5-88.5 ft.  
WELL'S STATIC WATER LEVEL: 26.3 ft. below land surface measured on mo/day/yr 8/11/06  
Pump test data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpi  
Est. Yield UNK gpm: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpi  
WELL WATER TO BE USED AS:  
1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Domestic (lawn & garden) 8 Air conditioning 9 Dewatering 10 **Monitoring well** 11 Injection well 12 Other (Specify below)  
Was a chemical/bacteriological sample submitted to Department? Yes **(No)**; If yes, mo/day/yr sample was submitted  
Water Well Disinfected? Yes **(No)**

5 TYPE OF BLANK CASING USED:  
1 Steel 2 **PVC** 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued \_\_\_\_\_ Clamped \_\_\_\_\_ Welded \_\_\_\_\_ Threaded   
Blank casing diameter: 10 in. to 0-35 ft. Dia 2 in. to 0-80 ft. Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft. Dia  
Casing height above land surface: -6 in., weight \_\_\_\_\_ lbs./ft. Wall thickness or gauge No. sch 40  
TYPE OF SCREEN OR PERFORATION MATERIAL:  
1 Steel 2 Brass 3 Stainless Steel 4 Galvanized Steel 5 Fiberglass 6 Concrete tile 7 **PVC** 8 RMP (SR) 9 ABS 10 Asbestos-Cement 11 Other (Specify) \_\_\_\_\_ 12 None used (open hole)  
SCREEN OR PERFORATION OPENINGS ARE:  
1 Continuous slot 2 Louvered shutter 3 **Mill slot** 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 0.01 slot 11 None (open hole)  
SCREEN-PERFORATED INTERVALS: From 80 ft. to 90 ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
GRAVEL PACK INTERVALS: From 7.8 ft. to 9.0 ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Bentonite From 6.5 ft. to 7.8 ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

6 GROUT MATERIAL: 1 Neat cement 2 **Cement grout** 3 **Bentonite** 4 Other \_\_\_\_\_  
Grout Intervals: From 0 ft. to 6.5 ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft. From 9.0 ft. to 9.7 ft.  
What is the nearest source of possible contamination:  
1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  
Direction from well? \_\_\_\_\_ How many feet? \_\_\_\_\_

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	18	Silty clay			Note: temporary steel 6" diameter casing used to seal off 59-61' wet zone to 90'
18	26	Fine-grained sand and silt			
26	59	Grey silty clay, stiff			
59	61	Grey silt, dense, wet			
61	81.5	Grey silty clay, stiff			
81.5	88.5	Sand fine to coarse grained, wet			
88.5	97	Grey silty clay, stiff			

RECEIVED  
MAY 11 2007  
BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1) constructed**, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/14/06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 597 This Water Well Record was completed on (mo/day/yr) MARCH 27, 2007 under the business name of ProSonic Corp by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.