WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No.							
1 LOCA County:	TION OF A	WATER WELL: Fraction tchison SW 1/4 NW 1/4 N	E ¼	ction Number	Township Number	Range Number	
County: Atchison SW ½ NW ½ NE ½ 1 T 6 S R 20 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)							
located within city? 1029 Main St. Atchison, KS Latitude: N 39.56106° Lampitude: N 39.56106°							
Longitude: W 95.12947° 2 WATER WELL OWNER: EZ Shop Inc. Elevation: RIM: 826.66 TOC: 826.33						3	
		Box # : PO Box 19326	Da	Datum: above mean sea level			
City, S	tate, ZIP Co	ode : Topeka, KS 66619-0326	Da	ata Collection	Method: legal survey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 18 ft.							
	LOCATON MW9						
l .	AN "X" II			ft. :	2 ft. 3	ft.	
SECT	SECTION BOX: WELL'S STATIC WATER LEVEL 12.66 ft. below land surface measured on mo/day/yr 4/10/08						
	N Pump test data: Well water was ft. after hours pumping gpm						
	Est. Yield gpm: Well water was ft. after hours pumping gpm						
-NW	NW—X NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
w	w LED water to BE OSED as: 5 rubble water supply 5 Am containing 17 injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
	2 Irrigation 4 Industrial / Domestic (lawn & garden) (10/Monitoring well						
-sw	SWSE-						
للا	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs						
S Sample was submitted Water Well Disinfected? Yes No X							
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Ste	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 8 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.33 ft., Weight lbs./ft. Wall thickness or gauge No.							
Blank casing diameter 2 in. to 8 ft., Dia in. to ft., Dia in. to ft.							
Casing hei	ght below la	nd surface 0.33 ft., Weight		lbs./ft. V	Vall thickness or gauge	No.	
TYPE OF	SCREEN (OR PERFORATION MATERIAL:	0.40		11 Other (marifu)		
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 8 ft. to 18 ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 7 ft. to 18 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.							
SCREEN-	PERFORA	TED INTERVALS: From 8 f	t. to	18 ft.	From ft. 1	to ft.	
-	ATTEN DA	From	t. to	π.	From	π.	
GR	AVEL PAG	CKINTERVALS: From 7 I	t, to	π.	From II.	to	
From It. to It. From It. to							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete, 0-2'							
Grout intervals from 2 ft. to 7 ft. from ft. to ft. from ft. to							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)							
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well							
Direction from well? NNE How many feet? ~50							
					PLUGGING INT	EDWALS	
FROM	TO	LITHOLOGIC LOG Concrete	FROM	TO	PLUGGING IN I	ERVALS	
3	5	Silty clay, dark gray, moist, slight					
		petroleum odor					
8	10	Silty clay, olive gray, very moist,					
		petroleum odor					
13	18	Clay with silt, brown, wet					
				Flus	hmount waiver from	BOW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged							
		nd was completed on (mo/day/year) 4/10/08	***	and this recog	d is true to the best of my	knowledge and belief.	
		ntractor's License No. 757 . This Water			eted on (molday/year)	4/10/08	
under the b	usiness nam		y (signatur		ent of Health and Environ	nt Bureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for							
vour records	Fee of \$5.00) for each constructed well. Visit us at http://www.kdheks	s.gov/waterv	veil.	1 1		