WATER WELL RECORD	Form WWC-5	Division	of Water Resources; App. No.		
1 LOCATION OF WATER WEL		Section Nur		ge Number	
County: HT (MISON	5w 1/4 Dw 1/4 JU	$v^{\frac{1}{4}}$ 6	T 60 R 2	20 O2/W	
County: At (1/50n) 5w ^{1/4} Sw ^{1/4} Sw ^{1/4} 6 T 6 R 20 Q ¹ /W Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)					
located within city? 405 UTah Atchison ks Latitude: Longitude:					
		Longitude:			
		Elevation:	Elevation:		
a. a. a. a.	308 Wilcox #101	Datum:			
Data Conection Method:					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					
	()				
	Pump test data: Well water wasft. after				
Est. Yield	Est. Yieldgpm: Well water wasft. after				
WELL WATER TO BE USED AS: 5 Public water supply 9 Air conditioning 11 Injection well					
WELL WATER TO BE OSED AS. 3 Fublic water supply 8 An conditioning 11 injection went water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) Monitoring well					
SW SE					
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs					
Sample was submitted					
S					
			CASING JOINTS: Glued Cla		
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Other (specify below)	Welded		
	7 Fiberglass		Threaded	<u></u>	
Blank casing diameter 2 in to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface ft. L. in., Weight lbs./ft. Wall thickness or guage No ft.					
Casing height above land surface	in., Weight	lbs./ft. W	all thickness or guage No	/	
TYPE OF SCREEN OR PERFORAT 1 Steel 3 Stainless Steel		9 ABS	11 Other (Specify)		
2 Brass 4 Galvanized Ster			\ 1 J/		
SCREEN OR PERFORATION OPEN		10 Asuesius-Cei	ment 12 None used (open note)		
1 Continuous slot 6 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 20 ft. to ft.					
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat	cement 2 Cament grout 2 Pant	onita 1 Other			
Grout Intervals: From					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify					
· •	A •	Fuel storage	14 Abandoned water well belo	, _	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well					
Direction from well?					
	THOLOGIC LOG	FROM TO	PLUGGING INTERVAL	S	
0 20 Bry Llay					
20 Darrock					
- COMPANIES					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged					
under my jurisdiction and was completed on (mo/day/year)					
under the business name of //// by by (signature) b					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone					
785-296-5522. Send one to WATER	WELL OWNER and retain one for	your records. Fee	of \$5.00 for each constructed well.	Visit us at	
http://www.kdheks.gov/waterwell/index.html.					