WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Atchison	SE 1/4 NW 1/4 SW 1/4 1/4	
Street/Rural Address of Well Location;	if unknown, distance & direction	Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here		
2604 Industry Street		Longitude: 95.1568 (in decimal degrees)
2004 Industry Otreet		Elevation:
	4000	
	il Anchor	Collection Method:
	dustry Street	GPS unit (Make/Model Google Earth
City, State, ZIP Code : Atchiso	n, KS 66002	Digital Map/Photo, Topographic Map, Land Survey
7.0		Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m
3 LOCATE WELL		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 25.0' ft.		
SECTION BOX: Depth(s) Groun	dwater Encountered (1)	ft. (2) ft. (3) ft.
N WELL'S STAT	IC WATER LEVEL. 3.31 ft	. below land surface measured on mo/day/yr3/17/14
Pum	test data: Well water was	ft. after hours pumping gpm
EST. YIELD	gpm. Well water was	ft. after hours pumping gpm
W Bore Hole Diameter in. to ft., and in. to ft.		
WELL WATER	R TO BE USED AS: Public wat	ter supply Geothermal Injection well
Demostic Deadlet Delifield water camply Dewatering Defter (Specify below)		
SW SE Domestic Peculot On held water supply Dewatering Other (Specify Glow)		
Was a chemical/bacteriological sample submitted to Department? Yes V No		
S If yes, mo/day/yr sample was submitted		
	afected? Yes INO	
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter		
Casing height above land surface. Flush in, Weight		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From		
From		
GRAVEL PACK INTERVALS: From		
From ft. to ft., From ft. to ft.		
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other		
Grout Intervals: From 0 ft. to 25.0' ft., From ft. to ft., From ft. to ft.		
What is the nearest source of possible contamination:		
	nes Pit privy Livestock	pens Insecticide storage Other (specify below)
Sewer lines Cesspool	Sewage lagoon Fuel storag	
☐ Watertight sewer lines ☐ Seepage 1		
Direction from well		from well
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
	0	25.0' 3/8 bentonite chips
		Well ID # 358909
7 CONTRACTOR'S OR LANDOWNER	C'S CERTIFICATION: This water	er well was 🗌 constructed, 🔲 reconstructed, or 🌠 plugged
under my jurisdiction and was completed on (mo/day/year) 03/17/14 and this record is true to the best of my knowledge and belief.		
		ecord was completed on (mo/day/year) 5/19/2014
under the business name of PSA Environmental by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy		
INOLI OLU-ILIL		опоск. 🗀 пис сору, 🗀 вис сору, 🗀 гик сору

MW-9A