WATER WELL RE	CORD	Form W	WC-5	D	ivision of Wate	er Resources App. N	o. MW-14	
1 LOCATION OF WATER WELL:		Fraction			on Number	Range Number		
County: Atchison		SE 14 NW 14 SV	V 1/4 1/	4	1 1		R 20 ZŒ □W	
Street/Purel Address					J			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:39.5545			
					Longitude: 95.1574 (in decimal degrees)			
2604 Industry Street					Elevation: 882.6			
					<u>Datum</u> :			
2 WATER WELL OWNER: Unit Rail Anchor					Collection Method:			
RR#, Street Address, Box #: 2604 Industry Street				1	GPS unit (Make/Model:)			
City, State, ZIP Code	n, KS 66002	K	Digital Map/Photo, Topographic Map, Land Survey					
Alcilison, NO 00002					Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 15.0' ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1)								
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr3/17/14								
Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm. gpm Bore Hole Diameterin. toft., andft.								
								WELL WATER TO BE USED AS: Public water supply Geothermal Injection well
Demostra D Feedlet D Oil field water gurrly Dewatering Other (Specify below)								
SW SE Donnestic Feedilot On field water supply Dewatering Other (speen) below SW SE Irrigation Industrial Domestic-lawn & garden Monitoring well								
	Was a chemical	bacteriological sample	e submitted t	o Denar	tment?	Yes 71 No		
Was a chemical/bacteriological sample submitted to Department? Yes V No S If yes, mo/day/yr sample was submitted								
water wer disinfected. If it's 150 150								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS:								
Casing diameter								
Casing height above land surface. Flush in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Sta	inless Steel	₹] PVC	Ε	Other (Specify)		** *** ***	
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From						to ft.		
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to .15.0' ft., From ft. to								
Grout Intervals: From	.0 ft. to	15.0' ft., Fron	n	ft. to	ft.,	From	. ft. toft.	
What is the nearest source								
Septic tank		es Pit privy	Livestock	pens	Insecticide	storage Oth	er (specify below)	
Sewer lines	Cesspool		Fuel storag		Abandoned	-	,	
☐ Watertight sewer I	ines Seepage p	it 🔲 Feedyard	storage	orage Oil well/gas well				
Direction from well			. Distance	from w	ell			
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
			0	15.0'	3/8 benton	ite chips		
			1					
			1		Well ID#3	M5031		
			 		11611 ID # 3	77001		
	, , ,							
			 					
			 					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or \(\mathbb{I} \) plugged								
under my jurisdiction and was completed on (mo/day/year) .03/17/14 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contr								
under the business name								
INSTRUCTIONS: Use typew	riter or ball point pen	PLEASE PRESS FIRML	Y and PRINT cl	early. Ple	ase fill in blanks	and check the correct	t answers. Send three copies	
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geol	ogy Section	on, 1000 SW Jac	ckson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Ser		ER WELL OWNER and	retain one for	your reco	rds. Include <u>fee</u>	of \$5.00 for each o	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212				C	heck: 🔲 Wh	ute Copy, 🔲 Blu	ie Copy, Pink Copy	